

FOOD STANDARDS AGENCY INFORMATION BULLETIN ON METHODS OF ANALYSIS AND SAMPLING FOR FOODSTUFFS

This Bulletin is issued by the Food Standards Agency to Public Analysts, to other analysts working in the food sector and to others with an interest in the sector. Its principal purpose is to act as an electronic consultation forum on methods of analysis and sampling for foodstuffs proposed for inclusion in EU Regulations and Directives, or on topics to be discussed in the organisation such as the Codex Alimentarius Commission. Other topics, e.g. forthcoming collaborative trials to validate specific methods of analysis, will be covered from time to time.

This Bulletin may be regarded as the successor to the MAFF Information Bulletin for Public Analysts on EEC Methods of Analysis and Sampling for Foodstuffs. **However, unlike that Bulletin, it will only be issued in electronic form.** It will be issued in pdf format downloadable from the FSA Website.

It should be regarded as somewhat less formal than the previous Bulletin. Comments are invited on any items included in the Bulletin, but only *via* a conventional email approach rather than through a Bulletin Board approach. It is hoped that this will not only elicit comments but also develop discussion between recipients; comments will therefore be copied to all Bulletin recipients.

Any general enquiries or comments regarding the Bulletin should be addressed to Roger Wood at the address below.

Food Standards Agency
c/o Lincolne Sutton & Wood,
70 - 80 Oak Street
Norwich NR3 3AQ,
UK.

Tel: + 44 (0) 7810 756068
Fax: + 44 (0) 1603 629981

E-mail: roger.wood@foodstandards.gsi.gov.uk

The FSA website address is: www.food.gov.uk

CONTENTS

Cumulative Index for the Food Standards Agency Information Bulletin on Methods of Analysis and Sampling for Foodstuffs

See separate index.

Codex Committee on Methods of Analysis and Sampling: “Report of the 28th Session” (ALINORM 07/30/23)

This paper is the official report of the CCMAS 28th Session, the papers for which were circulated in previous Information Bulletins.

Comments on any of the discussions/conclusions from the Session would be much appreciated. Two of the significant Conference Room Documents, dealing with disputes Draft Guidelines for Settling Disputes over Analytical (Test) Results and Consideration of the methods for the detection and identification of foods derived from biotechnology are reproduced in Information Bulletin 81.

Thank you.

codex alimentarius commission



FOOD AND AGRICULTURE
ORGANIZATION
OF THE UNITED NATIONS

WORLD
HEALTH
ORGANIZATION



JOINT OFFICE: Viale delle Terme di Caracalla 00153 ROME Tel: 39 06 57051 www.codexalimentarius.net Email: codex@fao.org Facsimile: 39 06 5705 4593

ALINORM 07/30/23

JOINT FAO/WHO FOOD STANDARDS PROGRAMME

CODEX ALIMENTARIUS COMMISSION

Thirtieth Session
Rome, Italy, 2-7 July 2007

REPORT OF THE TWENTY-EIGHTH SESSION OF THE CODEX COMMITTEE ON METHODS OF ANALYSIS AND SAMPLING

Budapest, Hungary
5 - 9 March 2007

Note: This document incorporates Codex Circular Letter CL 2007/10-MAS

codex alimentarius commission



FOOD AND AGRICULTURE
ORGANIZATION
OF THE UNITED NATIONS

WORLD
HEALTH
ORGANIZATION



JOINT OFFICE: Viale delle Terme di Caracalla 00153 ROME Tel: 39 06 57051 www.codexalimentarius.net Email: codex@fao.org Facsimile: 39 06 5705 4593

CX 4/50.2

CL 2007/10-MAS
March 2007

TO: - Codex Contact Points
- Interested International Organizations

FROM: - Secretary, Codex Alimentarius Commission, Joint FAO/WHO Food Standards Programme, FAO, 00100 Rome, Italy

SUBJECT: Distribution of the Report of the 28th Session of the Codex Committee on Methods of Analysis and Sampling (ALINORM 07/30/23)

A. MATTERS FOR ADOPTION BY THE 30th SESSION OF THE CODEX ALIMENTARIUS COMMISSION

PROPOSED AMENDMENTS TO THE PROCEDURAL MANUAL

1. Proposed Amendment to the *Principles for the Establishment or Selection of Codex Sampling Procedures* (para. 117, Appendix II)

METHODS OF ANALYSIS AND SAMPLING

2. Methods of Analysis in Codex Standards at different steps (paras. 67-91, Appendix III)

Governments wishing to propose amendments or comments on items 1 and 2 above should do so in writing in conformity with the Guide to the Consideration of Standards at Step 8 (see Procedural Manual of the Codex Alimentarius Commission) to the above address **before 10 May 2007.**

B. REQUEST FOR COMMENTS AND INFORMATION

DRAFT GUIDELINES AT STEP 6

3. Draft Guidelines for Settling Disputes on Analytical (Test) Results (para. 54, Appendix IV)

Governments and international organizations wishing to submit comments should do so in writing to the above address, with a copy to the Codex Contact Point of Hungary, Dr. Mária Váradi, Central Food Research Institute (KÉKI), H-1022 Budapest, Herman Ottó út 15 (Fax No. +361.212.9853; e-mail, m.varadi@cfri.hu), **before 15 September 2007.**

PROPOSED DRAFT GUIDELINE AT STEP 3

4. Proposed Draft Guideline on *Analytical Terminology* (para. 65, Appendix V)

Governments and international organizations wishing to submit comments should do so in writing to Dr. Michael D. Sussman, US Department of Agriculture, National Science Laboratory, 801 Summit Crossing Place, Suite B, Gastonia, NC 28054, USA, Fax 01-704-853-2800, E-mail:michael.sussman@usda.gov, with a copy to the above address, **before 30 June 2007.**

SUMMARY AND CONCLUSIONS

The summary and conclusions of the 28th Session of the Codex Committee on Methods of Analysis and Sampling are as follows:

Matters for adoption by the 30th Session of the Commission:

The Committee:

- agreed to propose an amendment to the *Principles for the Establishment or Selection of Codex Sampling Procedures* (para. 117, Appendix II);
- endorsed several methods of analysis in Codex standards at different steps of the Procedure (paras. 67-91, Appendix III);
- agreed to propose separate references for three texts already adopted by reference (para. 17).

Other Matters of Interest to the Commission

The Committee:

- agreed to retain at Step 7 the Draft Guidelines for Evaluating Acceptable Methods of Analysis (para. 27);
- agreed to return to Step 6 the Draft Guidelines for Settling Disputes on Analytical (Test) Results (para. 54, Appendix IV);
- agreed to return to Step 3 the Proposed Draft Guideline on Analytical Terminology (para. 65, Appendix V)
- agreed to consider at its next session the conversion of methods for trace elements into criteria (para. 101-102); the criteria for methods of analysis for foods derived from biotechnology (para. 111); and guidance on measurement uncertainty and sampling uncertainty (paras. 10 and 1234) with a view to proposing new work;
- agreed to consider at its next session discussion papers on the role and terms of reference of the Committee (para. 129) and on the reliability of analytical data (para. 137)

TABLE OF CONTENTS

Opening of the Session	1-2
Adoption of the Agenda	3-4
Matters arising from the Codex Alimentarius Commission and other Codex Committees	5-17
Draft Guidelines for Evaluating Acceptable Methods of Analysis.....	18-27
Draft Guidelines for Settling Disputes over Analytical (Test) Results	28-55
Review of the Analytical Terminology for Codex Use	56-65
Endorsement of Methods of Analysis Provisions in Codex Standards	66-91
Conversion of the Methods for Trace Elements into Criteria.....	92-102
Criteria for the Methods for the Detection and Identification of Foods Derived from Biotechnology:	103-111
Review of the Principles for the Establishment of Codex Sampling Plans.....	112-117
Report of an Inter-Agency Meeting on Methods of Analysis	118-125
Other Business and Future Work	126-137
Date and Place of Next Session.....	138

LIST OF APPENDICES

	<u>Pages</u>
Appendix I List of Participants	16
Appendix II Proposed Amendment to the <i>Principles for the Establishment or Selection of Codex Sampling Procedures</i>	29
Appendix III Status of Endorsement of Methods of Analysis and Sampling	31
Appendix IV Draft Guidelines for Settling Disputes over Analytical (Test) Results	41
Appendix V Proposed Draft Guidelines on Analytical Terminology	50

INTRODUCTION

1) The Codex Committee on Methods of Analysis and Sampling held its Twenty-eighth Session in Budapest, Hungary, from 5 to 9 March 2007, by courtesy of the Government of Hungary. The Session was chaired by Professor Peter Biacs, Professor at the Corvinus University of Budapest. Professor Pál Molnar, Department of Food Science of the University of Szeged, acted as the Vice-Chairperson. The Session was attended by 155 delegates and observers representing 54 Member Countries, one Observer Country, one Member Organisation (EC) and 8 international organizations. A complete list of participants is given in Appendix I of this report. A minute's silence was held for Dr Horwitz, former member of the Delegation of the United States of America and previous chairperson of the Working Group on Endorsement of Methods in acknowledgment of his contribution to this Committee.

OPENING OF THE SESSION

2) The Session was welcomed by Ms. Ágnes Szegedyné Fricz, Deputy Head of the Food Safety Chain, Animal and Plant Health Department, Ministry of Agriculture and Regional Development, who expressed the honour of Hungary to host this important committee for many years. She informed the Committee of the record attendance of member countries and international organisations at this Session, which reflected the increasing relevance and importance of the work of Codex in protecting consumer health and facilitating international food trade and its recognition in terms of the Agreements of the WTO. Ms Fricz also informed the Committee that the Hungarian food industry had been privatized and modernized and had increased production and that a new food law had been enacted which requires that food regulations should be harmonized with the standards of Codex. In addition, she highlighted the importance of the need for reliable methods of analysis and sampling and of their harmonization to ensure effective food safety control and wished delegates a fruitful and pleasant meeting.

ADOPTION OF THE AGENDA (Agenda Item 1)¹

3) The Delegation of the European Community presented CRD 3 on the division of competence between the European Community and its Member States according to Rule of Procedure II Paragraph 5 of the Codex Alimentarius Commission.

4) The Committee agreed to the proposal of the Delegation of the European Community to consider Agenda Item 3(a) and 3(b) after Item 4 to allow more time for consideration of these items and with this amendment adopted the Provisional Agenda as presented in CX/MAS 07/28/1.

MATTERS REFERRED BY THE CODEX ALIMENTARIUS COMMISSION AND OTHER CODEX COMMITTEES (Agenda Item 2)²

5) The Committee noted the recommendation of the Commission to give due regard to methods of analysis that could be used world wide both in developed and developing countries, where applicable.

Measurement Uncertainty

6) The Committee noted that when adopting the recommendations on the Use of Analytical Results: Sampling Plans, Relationship between the Analytical Results, the Measurement Uncertainty, Recovery Factors and Provisions in Codex Standards, the Commission had referred to the Committee the request made by some delegations for further guidance to address measurement uncertainty.

7) The Committee considered the document on Guidance on Measurement Uncertainty prepared by the Delegation of the United Kingdom in order to address the issues raised at the last session of the Committee and the Commission. The Delegation indicated that the purpose of the paper was to provide simple explanations on the nature of measurement uncertainty, the procedures for its estimation, and to consider its relationship with analytical results and the method used to obtain the result. The document also provided information on the procedures developed by several international organizations for the estimation of measurement uncertainty. The Delegation noted that some laboratories might underestimate uncertainty and report it unrealistically to their customers, and stressed the importance of addressing uncertainty for the purpose of export control and in case of dispute situations.

¹ CX/MAS 07/28/1

² CX/MAS 07/28/2, CX/MAS 07/28/2-Add.1 and CX/MAS 07/28/2-Add.2 (Guidance on Measurement Uncertainty), CRD 14 (comments of Chile)

8) Several delegations expressed their appreciation to the Delegation of the United Kingdom for this useful paper and supported further work in this area. Some delegations supported the development of recommendations to Commodity Committees, while other delegations stressed the importance of guidance to national authorities on how to address measurement uncertainty, especially in order to prevent problems in international trade.

9) In view of these comments, some delegations sought clarification on the scope of the document that could be developed, and whether it was intended for governments or in the framework of Codex. The Delegation of the United Kingdom indicated that the main objective was to provide guidelines to national governments on how to address measurement uncertainty but it was also important to give additional guidance to commodity Committees as to how to take into account the uncertainty when setting provisions in Codex standards.

10) The Committee agreed that an electronic working group coordinated by the United Kingdom and open to all interested members and observers, would prepare proposals for guidance on measurement uncertainty, as guidelines intended for governments and as recommendations to Codex committees, as appropriate. The Committee would consider these proposals at its next session in order to decide what type of new work should be undertaken.

Methods of Analysis for Dioxins

11) The Committee recalled that while considering the adoption of the Code of Practice for the Prevention and Reduction of Dioxin and Dioxin-like PCB Contamination in Food and Feeds, some delegations had expressed some concerns on the methods used and suggested to refer the provisions on methods of analysis and sampling in the Code to the CCMAS.

12) The Delegation of the European Community pointed out that at this stage further revision of the Code of Practice was unnecessary and therefore the Code should remain as adopted.

13) The Delegation of Thailand recalled the importance of monitoring the level of dioxins and expressed the view that the methods for the determination of dioxins were a new challenge as the techniques involved were sophisticated and too costly, and that it was difficult for developing countries to use them. These views were supported by several delegations. The Delegation of Cuba expressed the view that when methods requiring high technology were proposed, alternative methods should also be considered.

14) The Delegation of Thailand proposed to apply the criteria approach to the determination of dioxins and Dioxin-like PCBs and the committee agreed that this could be discussed under Agenda Item 5b while considering the conversion of methods to criteria.

15) The Chair recalled that the Committee had considered the methods for the determination of dioxins at its last session and had forwarded a request for clarification on the purpose of the methods to the Committee on Contaminants in Foods (CCCF) (ALINORM 06/29/3, para. 95). Further consideration of the methods for dioxins would therefore depend on the reply that would be received from the CCCF, to be held in April 2007.

Reference to the IUPAC/ISO/AOAC Protocols

16) The Committee recalled that the Commission, while considering the update of the reference to the International Harmonized Protocol for the Proficiency Testing of (Chemical) Analytical Laboratories, had noted that the Food Control Laboratory Management Recommendations (CAC/GL 28-1995) mentioned the above Protocol together with two other texts adopted by reference in 1997 and had asked the CCMAS to clarify whether these texts should be identified separately or under a single reference.

17) The Committee agreed that it would be easier for the purposes of reference to identify each text separately and therefore proposed to the Commission to identify as separate Guidelines the following texts:

- International Harmonised Protocol for the Proficiency Testing of (Chemical) Analytical Laboratories (1995, revised 2006)
- Protocol for the Design, Conduct and Interpretation of Method Performance Studies (1997)
- Harmonised Guidelines for Internal Quality Control in Analytical Chemistry Laboratories(1997)

DRAFT GUIDELINES FOR EVALUATING ACCEPTABLE METHODS OF ANALYSIS (Agenda Item 3a)³

18) The Committee recalled that its last session had agreed to return the draft Guidelines to Step 6 for redrafting by an electronic Working Group led by the Delegation of New Zealand and for consideration by this session of the Committee.

19) The Delegation of New Zealand indicated that the revised draft took into account the comments made at the last session especially with regards to the need for simplification of the document and the removal of the scientific and technical detail, but that due to the late revision of the document it had not been circulated for comments prior to the current session of the Committee and proposed that the guidelines be circulated at Step 6 for further comments.

20) The Delegation drew the attention of the Committee to its recommendations proposed in CX/MAS 07/28/3 to consider the core Guidelines and to provide the electronic working group with guidance as to the scope and general principles; to consider the criteria set out for acceptance of methods; agree that the working group continue work on additional annexes to the guidelines giving recommendations on statistical procedures and that the Codex guidelines for method-performance studies should be updated.

21) In addition the Delegation informed the Committee of its intention to publish three papers on methods of providing confidence intervals for estimates of precision parameters; considerations relating to the estimation of bias and its uncertainty of estimation in method performance studies; and the impact of uncertainty relating to estimates of bias and precision on producer's risks in tests for product compliance, the incorporation into compliance tests and tests for method acceptability of suitable controls of this possible impact.

22) The Committee had a general discussion on the recommendations as proposed. Several delegations expressed the view that it was not clear who the document was aimed at and that only once this had been clarified the document could be further developed. Some delegations were of the opinion that the guidelines could serve as a valuable tool for competent authorities on how to select methods that were fit-for-purpose. Other delegations proposed that if the guidelines were intended for the purpose of endorsement, an approach similar to that proposed for uncertainty as stipulated in CX/MAS 07/28/2-Add.2 be followed.

23) It was also suggested to clarify how the guidelines would affect the criteria approach and the conversion of methods for trace elements into criteria. Some delegations expressed the view that the application of the approach outlined in the revised text would entail considerable changes to the current practice in the evaluation of acceptable methods and therefore did not support further development of the guidelines at this stage.

24) In addition, the Observer of AOCS speaking as secretary to the IAM requested clarification on whether ISO 5725:1996 and IUPAC Harmonization Protocol to Determine Performance Criteria for Methods of Analysis had been taken into account in the development of the guidelines and how this work would affect the activities of standards development organisations.

25) Several delegations proposed to suspend further development of the guidelines pending peer review by the scientific community of the proposed papers. Other delegations highlighted the importance of this work especially to countries that needed guidance on how to evaluate acceptable methods and were of the opinion that the two processes could run concurrently.

26) After considerable discussion, the Committee agreed that further development of the guidelines would be suspended pending publication in scientific journals and peer review and that the next session of the Committee would consider how to proceed with the development of the guidelines. The Committee expressed its gratitude to the Delegation of New Zealand for the work done.

Status of the Draft Guidelines for Evaluating Acceptable Methods of Analysis

27) The Committee agreed to suspend further development of the Guidelines and to retain them at Step 7 until publication of papers in scientific journals.

³ CX/MAS 07/28/3; CRD 4 (comments of Japan), CRD 17 (comments of Kenya)

DRAFT GUIDELINES FOR SETTLING DISPUTES OVER ANALYTICAL (TEST) RESULTS (Agenda Item 3b)⁴

28) The Committee recalled that the 29th Session of the Commission had adopted the Draft Guidelines at Step 5 with the understanding that the comments submitted to the Commission would be considered by the next session of the Committee, and that they had been circulated for comments at Step 6.

General Discussion

29) The Delegation of Germany, speaking on behalf of the member states of the European Community present at the session, informed the Committee that they had proposed a revised, simplified, and more focused document, as presented in CRD 19.

30) The Delegation of the United Kingdom indicated that the revised text was based on measurement uncertainty and not on the precision characteristics of the method, since laboratories should be accredited to ISO/IEC 17025:2005. The revised text also took into account the more recent Codex texts, especially the Guidelines on Measurement Uncertainty, and the fact that measurement uncertainty should be reported with the results. The Delegation stressed that the main issue was the uncertainty in the results and not the validation of the method itself, and on that basis the guidelines had been simplified to address the main causes of disputes.

31) The Delegation of Argentina, supported by several other delegations, expressed the view that the guidelines should not apply to microbiological methods as there were frequent discrepancies between the initial and subsequent results of the tests carried out for confirmation when samples were re-analysed due to the specific characteristics of microbiological contamination. The Committee therefore agreed to exclude microbiological analysis from the scope of the guidelines and noted that in the future consideration could be given to the development of additional annexes that could cover specific areas of food analysis.

32) The Delegation of New Zealand stressed the need to facilitate rapid resolution of disputes and for this purpose proposed to recommend a three way split of the samples in order to allow confirmatory analysis, to add a new Step 3 on the analysis of reserve samples, and to include in the Annex a calculation of the reproducibility limit to allow for comparison of sample means.

33) The Delegation of Japan proposed to replace the reference to official accreditation of laboratories with “compliance with the general criteria for the testing laboratories laid down in ISO/IEC 17025:2005” to make the text consistent with that of the Guidelines GL 27-1997.

34) Some delegations expressed the view that the document was very useful, that they had considered its application at the national level, and that in particular the flow chart should be further developed to facilitate its application. Some delegations stressed the importance of the practical application of the guidelines in the area of contaminants where disputes were more likely to occur at the import stage. The Delegation of Algeria noted that analysis of a lot at the import stage could result in non conformity of products that were in conformity at the export stage, due to deterioration during transport or to chemical treatment at the point of import, and stressed the importance of taking into account practical experience in the development of the guidelines.

35) Some delegations proposed to refer the guidelines to CCFICS as it was related to import and export inspection. The Committee recalled that the document had already been submitted for advice to the CCFICS in its initial stage and that it had been developed in the light of the recommendation of CCFICS that it should not be too prescriptive.⁵

36) The Committee noted the offer of the Inter Agency Meeting to host a workshop on measurement uncertainty in conjunction with the next session of the CCMAS.

37) Following the general discussion, the Committee considered the first two sections and made the following amendments and comments.

⁴ CL 2006/47-MAS, CX/MAS 07/28/4 (comments of Argentina, Australia, Brazil, Cuba, Iran, Malaysia, New Zealand, Norway), CX/MAS 07/28/4-Add.1 (comments of Japan), CRD 7 (comments of Indonesia), CRD 8 (comments of United States), CRD 13 (comments of Thailand), CRD 17 (comments of Kenya) CRD 19 (comments of the EC)

⁵ ALINORM 03/23, para. 29 and ALINORM 01/30, para. 101

Title

38) The Delegation of the European Community proposed that the title would read “Draft Guidelines for Settling Disputes over Analytical Disputes (Test) Results with respect to the compliance of a lot to a legal specification” in order to clarify the nature of the dispute. Several delegations however objected to this change as the term “legal specification” would create some confusion, and the purpose of the guidelines was described clearly in the text. The Committee agreed to retain the current title and to add any additional clarification that would be required in the text.

Scope

39) The Committee agreed with the proposal of the Delegation of Hungary to clarify that the tests were carried out on the lot, not the consignment, and amended the first sentence accordingly. A footnote referring to the definition of the lot in the General Guidelines on Sampling was also inserted. A similar change was made in the Prerequisites Section, second paragraph in order to ensure consistency.

40) In the third paragraph, the Committee agreed to amend the text and Footnote 3 to clarify the possible reasons for disputes which were not covered in the guidelines and should be investigated. The last sentence on guidance on measurement uncertainty was deleted as this would be covered under the prerequisites section.

41) The Delegation of India proposed to delete the second paragraph as it was a duplication of the first and to replace it with the text: “These Guidelines should be limited to chemical, physical and physico-chemical analytical tests only and will not cover microbiological tests”.

42) Following its general decision to exclude microbiological analysis, the Committee agreed to insert a new sentence to that effect at the end of the section. Some delegations supported a text describing the areas that were covered (chemical and physical analysis), however the Committee agreed that it was preferable to specify only the area that was excluded from the scope, as this meant that all other types of methods were covered by the guidelines.

43) The Committee considered the inclusion of the additional sentence proposed in the comments from the EC that “the settlement of the dispute without new analysis or sampling operations should be the preferred option”. Some delegations, while not objecting to the text itself, noted that it would be more appropriate to include it either in the prerequisites or the section on the procedures for settlement of disputes. The Committee could not come to a conclusion on this proposal.

Prerequisites

44) The Committee discussed the proposal from Japan to indicate a first prerequisite, to the effect that “the importing country and the exporting country reach agreement on using these Guidelines to settle the dispute over analytical (test) results”. The Delegation of New Zealand proposed to add at the end of this prerequisite that the parties to the disputes “agree that the only question at issue is the validity of the analytical test results”

45) The Delegation of France expressed the view that this important provision would be more adequately included in the section on procedures as it related to the dispute settlement, whereas the prerequisites section referred to the material conditions necessary to apply the procedure. The Committee did not come to a conclusion on the addition of this requirement and agreed that it would require further discussion at the next session.

46) The Committee agreed to clarify that the laboratories “have been designated by their respective competent authorities in both the importing and exporting countries”, as proposed in the comments of the EC, and a similar amendment was made in the second paragraph.

47) The Delegation of Malaysia questioned the requirement for a sample to be taken by each competent authority as it was not common practice to take samples when it was not known whether a dispute would occur. The Committee noted that in some countries, the procedure could not be carried out if samples had not been taken at the export stage, while in other countries, common practice at the import stage in case of disputes was to give a sample to the importer who would forward it to the exporting country authority.

48) The Delegation of New Zealand proposed to insert the words “or samples have been split” and to recommend a three way splitting of the samples in order to obtain two duplicates of the contentious sample for dispute resolution. Several delegations indicated that they were required to use triplicate samples at the national level and did not support the splitting of the initial samples in cases of disputes. Other delegations

supported the use of a single sample that could be split if further analysis was required. The Committee could not come to a consensus on this question and agreed to consider it further at its next session.

49) The Delegation of India proposed that the time frame for each step might be laid down as most of the foodstuffs exported are perishable in nature.

50) The Committee recognized that it would not be possible to consider the entire document at the present session in view of the extensive comments and changes proposed to all sections, and discussed how to proceed further.

51) Several delegations supported the approach based on measurement uncertainty as it took into account the current situation in laboratory analysis and the Codex guidelines in this area and therefore proposed to take the revised version in CRD 19 as a basis for further development of the guidelines.

52) Other delegations, while not objecting to the revised approach, stated that the revised text required further consideration and that they could not take a position at this stage since it had been presented at the session. These delegations proposed to retain the document included in the Circular Letter for further consideration.

53) After some discussion, the Committee agreed to circulate the following text for further comments: sections 1 and 2, as amended at the current session, section 3 of the original document in CL 2006/47-MAS, and section 3 and the remaining part of CRD 19 as an alternative text in square brackets.

Status of the Draft Guidelines for Settling Disputes over Analytical (Test) Results

54) The Committee agreed to return the Draft Guidelines, as amended at the present session, to Step 6 for further comments and consideration at the next session (see Appendix IV).

55) The Committee agreed that its objective would be to finalise the Draft Guidelines at its next session for adoption by the Commission in 2008.

REVIEW OF THE ANALYTICAL TERMINOLOGY FOR CODEX USE (Agenda Item 4)⁶

56) The Committee recalled that its last session had agreed that the Delegation of the United States, with assistance of an electronic working group would prepare a first draft of the Guideline for comments at Step 3 following approval by the Commission to transfer the terminology section in the Procedural Manual to a separate Guideline and proceed with its revision.

57) The Delegation of the United States introduced the document and explained that CRD 17 as presented at the last session of the Committee was used as a basis for its development. The Delegation also noted that several definitions were still under development by ISO and VIM and that the current list would be updated once these had been finalized. Since the document had not been circulated for comments prior to this session, the Delegation proposed that it be attached to the report of the current session with an invitation by Circular Letter for comments from interested parties upon which revisions could be made. The Delegation also acknowledged the contribution of the late Dr. Horwitz in providing guidance during the development of the document.

58) The Delegation further referring to its comments in CRD 5 proposed that editorial corrections be made to the current definition for linearity as it appeared in the Procedural Manual. The Committee agreed to this proposal and the secretariat indicated that it would be corrected in the next edition of the Procedural Manual.

59) The Committee agreed to hold a general discussion on the document and noted the following contributions.

60) The Observer from AOCS speaking as the secretariat of the IAM noted that several definitions in the document were taken from original sources such as ISO, NMKL and others and reproduced without modification but that although a hierarchy existed between VIM and ISO that the document had chosen to use the most appropriate definitions for Codex purposes and that this could cause confusion for analysts. In acknowledging that Codex should use the most appropriate definitions for its purposes, it was proposed that a practical guide be developed as an adjunct to this guideline to provide countries with a practical approach for the use of these definitions. The Committee agreed to this proposal and requested IAM to consider its development.

⁶ CX/MAS 07/28/5; CRD 5 (comments of United States)

61) Several delegations proposed the introduction of some additional definitions of terms already in use in several adopted Codex texts such as 'fitness-for-purpose', 'between laboratory standard deviation' and 'alpha and beta-error', amongst others; the inclusion of the IUPAC definition for 'selectivity' and amendments to the 'HorRat' definition.

62) The Delegation of Chile questioned the proposed definition for Limit of Quantification (LOQ) noting that LOQ was not equivalent to limit of determination as stated in the proposed definition.

63) To the concern raised by a delegation on how Codex would keep in step with definitions being developed by several other international organisations especially in the field of metrology, statistics, quality management and analytical chemistry, it was clarified that it was the function of the CCMAS to coordinate the update of definitions.

64) In noting the proposals and comments made, the Committee agreed that the Delegation of the United States, with assistance of an electronic working group, would redraft the draft Guidelines taking into account discussions at the present session and written comments submitted.

Status of the Proposed Draft Guideline on Analytical Terminology

65) The Committee agreed to return the Proposed Draft Guideline to Step 3 for comments, redrafting by an electronic working group led by the Delegation of the United States and consideration at the next session (see Appendix V).

ENDORSEMENT OF METHODS OF ANALYSIS PROVISIONS IN CODEX STANDARDS (Agenda Item 5a)⁷

66) The report of the ad hoc Working Group on Endorsement of Methods of Analysis (CRD 1) was presented by its Chair, Dr Roger Wood (United Kingdom). The Committee considered the methods proposed for endorsement and in addition to editorial changes made the following amendments and comments.

Committee on Processed Fruits and Vegetables

Draft Standard for Pickled Fruits and Vegetables

Determination of arsenic

67) The Committee noted that the methods for determination of arsenic could be converted to criteria, but that due to time constraints the working group could not make any recommendations on this for consideration by the Committee.

68) To the question raised by the Observer of NMKL on the appropriateness to endorse the AOAC 952.13 as Type II method, it was explained that although the method was a surplus method, that it had not been withdrawn, but might simply not be that readily available and that this issue should be further discussed. Some delegations were of the opinion that clear guidance needed to be given on how to proceed with this matter in future. It was agreed that the paper on the conversion of methods into criteria using trace elements as an example could provide further guidance and basis for discussion at the next session (see also Agenda Item 5b).

Determination of benzoic acid and sorbates

69) The Committee agreed with the proposal to include the more recent NMKL method by liquid chromatography as Type II. In addition, it recognised that the AOAC 983.16 was the same as NMKL 103 and endorsed these methods as Type III.

Determination of lead

70) It was clarified that the method for the determination of lead was a flame atomic absorption method in view of the level to be detected. The Delegation of Algeria pointed out that the flame atomic absorption method was not appropriate for trace analysis, and in that case the graphite furnace atomic absorption method was entirely adequate.

⁷ CX/MAS 07/28/6, CX/MAS 07/28/6-Add.1, CRD 1, CRD 11 (comments of Republic of Korea), CRD 12 (comments of AOCS), CRD 16 (methods submitted for endorsement by FAO/WHO Committee for the Near East)

Determination of pH

71) The Committee noted that the working group had had extensive discussion on whether the methods proposed for the measurement of pH should be classified as either Type I or II, accepted that the methods proposed were rational methods, equivalent and used as alternative procedures and thus endorsed the AOAC and NMKL methods as Type III and II, respectively.

Draft Standard for Processed Tomato Concentrates

72) The Committee agreed that the method for tomato soluble solids, AOAC 970.59, was the more appropriate of the two methods proposed by the Committee on Processed Fruits and Vegetables, endorsed it together with all other methods proposed and corrected the reference of the method for lactic acid.

Draft Standard for Preserved Tomatoes

73) The Committee endorsed all methods proposed with the exception of the method for the determination of drained weight for crushed style tomatoes which was temporarily endorsed pending confirmation of the correct ISO reference.

74) The Committee endorsed the NMKL method as Type II and the AOAC method as Type III for the determination of calcium, although it was noted that the AOAC method had been endorsed as Type II as a general method for processed fruit and vegetables. The Committee agreed that the general method for the determination of calcium for processed fruits and vegetables might need updating as this could cause confusion to analysts.

FAO/WHO Coordinating Committee for Asia

Proposed Draft Standard for Gochujang

Determination of Capsaicin

75) The Committee agreed with the proposal to endorse the AOAC method as Type II and to temporarily endorse the methods proposed in Annexes A and B as Type IV since these were not yet fully validated and noted the on-going work in this regard and encouraged the Delegation of the Republic of Korea to consider further validation of these methods.

Other Considerations

76) The Committee temporarily endorsed the methods for determination of crude protein as Type I since the scope of this method had not been extended to this matrix (Gochujang), but was satisfactorily used in the industry and the method for moisture as Type I as further clarification should be provided on the range of temperatures for drying.

Committee on Fish and Fishery Products

Proposed Draft Standard for Live and Bivalve Molluscs

Determination of Biotoxins

77) The Committee agreed to endorse the method for determination of the saxitoxin group in shellfish as Type II. It did not agree with the recommendation to endorse the method for determination of domoic acid but agreed to inform the Committee on Fish and Fishery Products that the recently published AOAC 2006:02 for the determination of domoic acid by ELISA was available for their consideration.

Codex Committee on Fats and Oils

Draft Standard for Fat Spreads and Blended Spreads

78) The Committee noted that the methods put forward by CCFO were to determine fat content by calculation, but since no provisions existed in the Standard for moisture or solids non-fat as such and since a direct method for the determination of fat was available, endorsed the direct method for determination of fat as a replacement for the three methods put forward by CCFO.

Draft Amendment to the Standard for named vegetable oils: rice bran oil

79) The Committee endorsed the method for gamma oryzanols in rice bran oil as Type IV since the method had not yet been fully validated and agreed to encourage countries involved in the work on the development of the method to complete validation studies.

Update of existing methods for fats and oils

80) The Committee noted and agreed with the updates as presented in CRD 1, however in view of the proposals made in the paper on conversion of methods to criteria on the appropriateness of the methods for determination of arsenic (as also mentioned in previous discussions), agreed that in future this question would need to be carefully considered and that perhaps the IUPAC method previously used for determination of arsenic could be reconsidered if appropriate.

Codex Committee on Nutrition and Foods for Special Dietary Uses

Draft Standard for Infant Formula and Formulas for Special Medical Purposes Intended for Infants

81) The Committee agreed that the Committee on Nutrition and Foods for Special Dietary Uses (CCNFSDU) needed to further consider the proposed methods since many required updating and agreed to refer all methods back to CCNFSDU. In particular the Committee made the following comments:

82) The list included two methods for total dietary fibre and clarification was needed on which of these methods should be used and for what purpose.

83) In general, methods using microbioassay as a principle should be reviewed, as well as the methods for determination of PER, carbohydrates and fat in order to replace them with more modern methods.

84) Clarification was required as to how Vitamin C was expressed and on the differences between the methods proposed for Vitamin K, B12 and B6.

85) It was recommended that the method for sodium and potassium be replaced with the ISO 8070/IDF 119.2007 method (atomic absorption).

86) As regards crude protein, the Committee agreed that the conversion factors included in the method proposed corresponded to the earlier standard and recommended that the CCNFSDU correct the conversion factor for soy protein to 5.71 in the description of the method in order to be consistent with the provision in the revised standard.

Update of other Methods

87) The Committee agreed to update the references to some methods as consequential or related amendments to the update of the methods for fats and oils. It noted that the method for determination of free fatty acids in the Standard for Cocoa Butter (CODEX STAN 86-1981) measured free acidity and allowed for conversion to fatty acids and thus agreed to update the method as Type I.

88) In updating the methods in the Guidelines for Nutrition Labelling, it was noted that AOCS Ce 1h-05 was also available as a validated method for the determination of trans unsaturated fatty acids and agreed to inform the CCNFSDU of this.

FAO/WHO Coordinating Committee for Near East

89) The Committee considered the methods proposed for endorsement by the CCNEA in CRD 16 and noted that these methods had not been presented to the Working Group due to their late submission. Although it was noted that the methods were mainly AOAC methods and collaboratively tested, the Committee did not agree to endorse them since several of the methods proposed were relatively old and could be replaced by more recent methods, limited background information was available and a short time was allowed for their consideration. The Committee therefore agreed that the methods should be resubmitted to the Committee in a more suitable format for consideration at its next session.

Other issues

90) The Committee, taking into account discussions by the Working Group on how to introduce the Dumas method for determination of protein in soy protein products in addition to the Kjeldahl method, and its earlier discussion on methods for pH, agreed that in future it would need to have discussions on how to clearly differentiate between Type I and Type II methods. The Committee was informed that the United Kingdom had commissioned work on this aspect which would be completed shortly and requested the Delegation of the United Kingdom to provide an update on this work to the Committee at its next session to facilitate discussion in this regard.

91) The Committee expressed its appreciation to Dr Wood and to the Working Group for their excellent work, which had facilitated discussion in the Plenary Session, and agreed that it would be reconvened prior to the next Session. The Status of the endorsement of methods of analysis is presented in Appendix III.

CONVERSION OF THE METHODS FOR TRACE ELEMENTS INTO CRITERIA (Agenda Item 5b)⁸

92) The Delegation of Sweden recalled that the last session had considered a discussion paper on the conversion of methods for trace elements into criteria and had agreed that Sweden, in cooperation with NMKL, would further develop the document for consideration at the next session.

93) The Observer of NMKL highlighted the main technical aspects of the document, as follows: the methods criteria and characteristics for use in trace element analysis presented in Table 1, the explanation as to how the values of the criteria were selected, with specific examples of the application of the criteria and the problems to be addressed. For example, the LOD was set at one tenth of the maximum level for a specific heavy metal but when the maximum level was at low levels such as 0.1 mg/kg, the LOD was set at one fifth of the maximum level. It was also noted that for some commodities such as fats and oils or foods with a high fat content, separate methods validated for the appropriate matrices would be necessary.

94) Taking into account the data on the characteristics of methods, as available in the reports of collaborative trials, the values of the criteria had been specified for all Codex methods currently used for the determination of heavy metals. On that basis, Codex methods for heavy metals were listed in Table 4 according to the selected method performance characteristics and criteria, and according to compliance or non compliance with basic validation requirements, depending on their method performance characteristics. The Observer pointed out that a number of current methods did not meet the criteria, as in some cases the LOD was greater than the maximum level specified in the standard, or the performance of the method close to the ML could not be assessed.

95) The Committee expressed its appreciation to the Delegations of Sweden and the Observer from NMKL for their excellent work on the complex issues related to the criteria approach. Several delegations indicated that the document was an excellent basis to develop recommendations on the conversion of methods into criteria, and made the following suggestions for further work. The Delegation of the United States proposed that the document should be rewritten more descriptively and in a format which could provide stepwise instructions for developing criteria from existing methods, and explanations of how the criteria were established. The Committee also noted the written comments of Japan intended to provide clarification in the document.

96) The Delegation of New Zealand commented that, to be consistent with the principles proposed for the evaluation of acceptable methods, allowance should be made, if necessary, for measurement error and the imprecision of its estimates. The relative bias should be justified in terms of fitness for purpose, and the criteria should be met with a stated level of confidence.

97) The Observer from NMKL indicated that the criteria were intended to evaluate the characteristics of the methods and therefore the measurement uncertainty related to measurement itself was not considered.

98) The Delegation of the United Kingdom supported further work on the development of guidance in a simple form that could be used by Codex Committees, in addition to the current provisions on criteria in the Procedural Manual. The Delegation informed the Committee of the approach followed at the national level and in the EU in addressing measurement uncertainty, and that in certain sectors a limit was specified for uncertainty. The Delegation pointed out that the information on the characteristics of the methods would allow the Committee to reconsider the endorsement of the methods that did not meet the criteria and were not adequate for the analysis of heavy metals at the maximum level specified in the standards.

99) The Observer from IDF cautioned that the criteria approach would increase the workload of laboratories and that the Committee needed to consider carefully the implications of the conversion of methods into criteria.

⁸ CX/MAS 07/28/7, CRD 4 (comments of Japan), CRD 9 (comments of United States)

100) Several delegations supported the development of guidance intended for governments on the conversion of methods to criteria in order to facilitate comparisons of the methods between laboratories and to determine equivalence, especially for the purpose of export and import control.

101) The Committee agreed that the Delegation of Sweden, with the assistance of Norway and NMKL, and interested members and observers, would revise the document in order to develop guidance on the conversion of methods into criteria for Codex committees and for governments, as appropriate. The Committee would decide at its next session whether to undertake new work on recommendations for Codex purposes and on guidelines for governments. It was further agreed that the characteristics of current methods for heavy metals according to the criteria (Table 4) should be retained in the document as an example and as a basis for further review of current methods. The Committee agreed that this review would be carried out as part of its work on the endorsement of methods of analysis.

102) The Committee also agreed that the revision of the paper would take into account the proposal from the Delegation of Thailand to consider criteria for the methods for dioxins and dioxin-like PCBs, as mentioned under Agenda Item 2.

CRITERIA FOR THE METHODS FOR THE DETECTION AND IDENTIFICATION OF FOODS DERIVED FROM BIOTECHNOLOGY (Agenda item 6)⁹

103) The Committee recalled that its last session had agreed that an electronic working group led by Germany and the United Kingdom would revise the discussion paper for consideration by this session.

104) The Delegation of Germany informed the Committee that a new revised document (CRD 18) had been prepared during the current session with assistance of the delegations of the United States, France, European Community and United Kingdom, taking into account all comments made at previous sessions of the Committee, and proposed that this document be considered by the Committee.

105) It was indicated that an effort had been made to incorporate these comments into the revised document and particularly to address the concerns expressed previously to include protein-based methods in addition to PCR-based methods. The Committee was informed that the document comprised a general section and six annexes providing information that needed to be provided when a method is to be considered for endorsement by the Committee; applicable definitions; validation of PCR-based and protein-based methods and proficiency testing of foods derived from biotechnology. The Delegation proposed that the Committee consider the document further and that it be brought forward as a new work item.

106) The Delegation of the European Community, supported by the Delegation of Norway, stressed the importance of this work in the light of increasing introduction of foods derived from biotechnology and the need for identification of methods using the criteria approach and thus supported its development as a new work item.

107) The Delegation of the United States, supported by several delegations, while acknowledging the importance of the revised document, noted that it had been available only at the session, proposed that the document be circulated to members of the electronic working group and revised as necessary for consideration by the next session.

108) Several delegations also indicated that in addition to the revision of the document which seemed to focus on guidance within Codex, that there was a need for guidance to member countries and proposed that the electronic working group consider the development of such guidance.

109) To the question of the Delegation of Cuba on whether the document should be submitted to the ad hoc Intergovernmental Task Force on Foods Derived from Biotechnology for review, it was clarified that the work under discussion originated from that Task Force¹⁰ as well as the Committee on Food Labelling, that the Task Force was mainly responsible for the development of guidance on risk assessments for foods derived from biotechnology and that the work of this Committee was notified to other Codex Committees where necessary through the standard item of matters referred.

⁹ CX/MAS 07/28/8, CRD 10 (comments of the United States), CRD 15 (comments of AOCs), CRD 18 (comments of the EC)

¹⁰ ALINORM 01/23, paras 10-12; ALINORM 03/23, paras 71-81

110) The Committee held considerable discussion on whether the revision of the document should also be considered by a physical working group either prior to the next session or between sessions as a means of facilitating discussion at the next session. Many delegations preferred the establishment of an inter-session physical working group as this would allow sufficient time for the circulation of the revised document for consideration by members, which would not be the case if the group met prior to the session.

111) Following this discussion, it was agreed that the electronic working led by the Delegations of Germany and the United Kingdom would revise the current document and in addition would give consideration to the development of guidelines for governments and prepare a project document as a proposal for new work. It was further agreed to establish a physical working group to be hosted by Germany that would meet inter-session, if necessary, in accordance with the guidelines for physical working groups in the Procedural Manual. The Committee emphasized that the revised document would need to be circulated to members well in advance of the next session to allow for its thorough consideration.

REVISION OF THE PRINCIPLES FOR THE ESTABLISHMENT OF CODEX SAMPLING PROCEDURES (Agenda Item 7)¹¹

112) The Committee recalled that at its last session, the Delegation of Japan had drawn the attention of the Committee to the fact that the Principles for the Establishment or Selection of Codex Sampling Procedures in the Procedural Manual referred to the Sampling Plans for Prepackaged Foods, that had been superseded by the General Guidelines on Sampling adopted by the Commission and its decision that the Delegation of Japan would update the section of the Procedural Manual dealing with this matter, taking into account the adoption of the Guidelines, for consideration by the current session.

113) The Delegation of Japan informed the Committee that it had prepared two draft revisions for its consideration. It explained that option one included minimum changes necessary to reflect the adoption of the General Guidelines on Sampling, whereas option two included changes as in option one, other editorial modifications and references to the General Guidelines as well as to Table 1 of these guidelines for ease of use.

114) Delegations generally agreed to propose option 2 for endorsement by the Committee on General Principles since this option provided better coherence with other adopted Codex texts.

115) The Delegation of New Zealand while supporting option 2 suggested it would be useful to consider whether Codex should prescribe sampling plans, or perhaps preferably specify criteria that sampling plans should meet. With regard to the section on sampling plans for compositional criteria, the Delegation noted that the General Guidelines do not cover sampling in the presence of significant measurement uncertainty and informed the Committee that the Committee on Milk and Milk Products were in the process of developing a discussion paper on the subject.

116) The Delegation of the United Kingdom also expressed support for option 2, but reminded the Committee that principles for sampling and methods of analysis on which guidance in Codex were based were dated and that in future these would need to be revisited to take into account new work such as sampling uncertainty.

Status of Revision of the Principles for the Establishment of Codex Sampling Procedures

117) The Committee agreed to submit option 2 to the Committee on General Principles for endorsement as an amendment to the Principles for the Establishment or Selection of Codex Sampling Procedures (see Appendix II).

REPORT OF AN INTER-AGENCY MEETING ON METHODS OF ANALYSIS AND SAMPLING (Agenda Item 8)¹²

118) The Secretary of the Inter-Agency Meeting, Dr Richard Cantrill (AOCS), introduced the report of the 19th IAM presented in CRD 2. In noting that several outputs of this report (harmonisation of analytical terminology; the paper on Guidelines for Evaluating Acceptable Methods of Analysis; the paper on measurement uncertainty and editorial corrections to method references) had been considered under earlier

¹¹ CX/MAS 07/28/9

¹² CRD 2 (Report of the 19th Meeting of the International Organisations Working in the Field of Methods of Analysis and Sampling (Interagency Meeting))

items on the agenda or at the Working Group on Endorsement of Methods and Analysis and Sampling, he highlighted the following important issues discussed at the IAM.

119) It was indicated that with the adoption of the criteria approach, there was an increased need among analytical chemists for fully validated official methods of analysis and that little progress had been made on the request to Members to consider collection and collation of validation data to meet criteria for inputs into the Revision of Codex methods that do not meet criteria, since members were not necessarily holders of data, but of the final methods developed.

120) It was reported that the IAM had considered a presentation of results on work carried out at the Joint Research Centre (JRC) (Geel) on the evaluation of collaborative trial results where results corrected and uncorrected for recovery were reported and where both sets of results were used to calculate performance parameters of the methods. It was indicated the presentation would be available through the IAM website.

121) The Committee was informed that the IAM website would continue to include information on work programmes of IAM members, links to publicly available newsletters and news items of IAM individual members and lists of published standards and links to newly published standards.

122) He further informed the Committee of work by NMKL on approaches to international guidelines for the validation of qualitative methods through collaborative trials, the launch of the EU-funded MoniQA project and that the IAM was awaiting the outcome of discussions on the work on criteria for detection and identification of foods derived from biotechnology.

123) Finally, he informed the Committee of the retirement of Mr. Fred van Luin of the IDF, that the AOCS would continue as the Secretariat of the meeting and that Dr Wood would continue to chair this meeting for another year.

124) The Committee expressed its appreciation to the international organizations participating in the meeting of the IAM for their contribution to the work of the Committee and to the Hungarian Food Safety Office for hosting the IAM. It also noted that the next IAM would be held on the Friday prior to the next Session of the Committee.

125) In response to a question posed by the Delegation of Brazil as to the status of IAM within Codex, it was clarified that all members of IAM had observer status within Codex and that IAM was not a formal organisation but a meeting that takes place prior to Sessions of CCMAS.

OTHER BUSINESS AND FUTURE WORK (Agenda Item 9)¹³

The Role of CCMAS with Respect to Methods without Detailed Provisions in Codex-Standards

126) The Delegation of the Netherlands informed the Committee that in view of the difficulties experienced in developing or endorsing methods of analysis when no provisions existed in Codex standards, it had prepared a discussion paper in this regard as requested by the last session of the Committee. The discussion paper highlighted several of the instances where difficulties arose, for example in the endorsement of methods of analysis for the Standard for Fruit Juices and Nectars for which no numerical values existed. It was proposed that the Committee discuss the limitations of its terms of reference and that it consider new work to identify unwanted restrictions in its terms of reference and to propose changes where necessary.

127) Several delegations supported the proposal for new work and emphasized that in future, the Committee may increasingly need to look at methods for which no standards existed.

128) Several other delegations were of the view that no amendment was necessary since the Committee had been able to provide advice on methods within its current terms of reference.

129) Taking into account the divergent views, the Committee agreed to request the Delegation of the Netherlands to further develop the discussion paper and to provide further evidence of restrictions with respect to the Committee's terms of reference for consideration by the next session.

¹³ CX/MAS 07/28/10, CX/MAS 07/28/11, CRD 6

Uncertainty of Sampling

130) The Delegation of the United Kingdom informed the Committee that the EURACHEM/EUROLAB/CITAC/Nordtest *Guide on the Estimation of Measurement Uncertainty Arising from Sampling* would be published soon and that comments on this Guide were welcome.

131) The Delegation recommended that the Committee recognise the existence of the Guide and that it was critical that the Committee recognise that a decision should be taken on whether sampling uncertainty should be taken into account when assessing compliance or whether it wished to take the non-scientific or simplistic route of defining sampling uncertainty as being zero.

132) The Committee was further informed that the European Union had commissioned a project in this area which further illustrates recognition of this issue.

133) The Delegation of Australia agreed that sampling uncertainty was important and needed attention and was certainly applicable in the appropriate circumstances. However Australia felt that assessing compliance against an MRL was not one of those circumstances as the MRL does not reflect the average concentration of a lot but rather a maximum value for a sample taken in accordance with a defined sampling plan. The Delegation of Hungary indicated that uncertainty of sampling should be taken into account in all cases, including testing for compliance with MRLs for the purpose of export.

134) The Delegation of New Zealand noted that this was an important subject, but expressed its serious reservations with regard to the soundness of the work on the above *Guide* and indicated that it would provide comments on the *Guide*. As regards the development of guidelines the Delegation stressed the need to clarify whether Codex limits applied to the average concentration of the lot or of the sample.

135) Several delegations expressed the importance of this work and indicated the need for guidelines on the interpretation of sampling uncertainty and noted that the focus should be on sampling of food whereas the scope of the draft *Guide* was more general. The Delegation of India proposed that simple guidelines for uncertainty of sampling might also be prepared as an Annex for better implementation by customs or competent authorities. The Delegation of the United Kingdom noted the need for guidelines and offered to incorporate as an appendix such guidelines in the work currently under development on guidelines for measurement uncertainty (see Agenda Item 2).

136) The Committee noted the information provided by the Delegation of Norway of the Nordtest workshop on sampling uncertainty to take place on 12-13 April 2007.

The Role of CCMAS Regarding Reliability of Published Analytical Data

137) The Delegation of Sweden drew the attention of the Committee to the reliability of published data and stated that increasing amounts of data were being published in international journals for example for trace elements of which the quality was questionable, which means that decisions were based on false data. The Delegation proposed that Codex consider the development of guidelines to ensure the analytical quality of data and informed the Committee that it was prepared to develop a discussion paper on where in the Codex system such a guideline would fit. The Committee welcomed the offer of Sweden.

DATE AND PLACE OF THE NEXT SESSION (Agenda Item 10)

138) The Committee was informed that the 29th Session of the Committee would be held in Budapest in March 2008. The exact date and venue would be determined by the host country and the Codex Secretariat.

SUMMARY STATUS OF WORK

Subject Matter	Step	Action by	Document Reference in ALINORM 07/30/23
Proposed Amendment to the Principles for the Establishment of Codex Sampling Procedures	(*)	24 th CCGP Governments 30 th CAC	para. 117 Appendix II
Endorsement of methods of analysis in Draft Standards and existing Standards		Governments 30 th CAC	paras. 67-91 Appendix III
Reference to IUPAC/ISO/AOAC Protocols (amendment to references)		30 th CAC	para. 17
Draft Guidelines for Evaluating Acceptable Methods of Analysis	7	29 th CCMAS	para. 27
Draft Guidelines for Settling Disputes on Analytical (Test) Results	6	Governments 29 th CCMAS	para. 54 Appendix IV
Proposed Draft Guideline on <i>Analytical Terminology</i>	3	Governments 29 th CCMAS	para. 65 Appendix V
Conversion of methods for trace elements into criteria		Sweden/Norway/ NMKL 29 th CCMAS	para. 101-102
Criteria for methods of analysis for foods derived from biotechnology		United Kingdom/ Germany 29 th CCMAS	para. 111
Guidance on measurement uncertainty and uncertainty of sampling		United Kingdom 29 th CCMAS	paras. 10 and 134
Discussion paper on role and terms of reference of CCMAS		Netherlands 29 th CCMAS	para. 129
Discussion paper on the reliability of analytical data		Sweden 29 th CCMAS	para. 137

(*) Procedural Manual

**LIST OF PARTICIPANTS
LISTE DES PARTICIPANTS
LISTA DE PARTICIPANTES**

Chairperson: Prof. Dr. Péter Biacs
Président: Budapest Corvinus University
Presidente: Department of Microbiology and Biotechnology
 Somlói út 12-16
 H-1118 Budapest, Hungary
 tel.: +36 1 482 6201
 fax: +36 1 482 6340
 e-mail: peter.biacs@uni-corvinus.hu

Vice-Chairperson: Prof. Dr. Pál Molnár
Vice-Président: University of Szeged
Vicepresidente: Department of Food Science
 Mars tér 7.
 H-6701 Szeged, Hungary
 e-mail: molnar@eoq.hu

**MEMBER COUNTRIES
PAYS MEMBRES
PAISES MIEMBROS**

**ALGERIA
ALGERIE
ARGELIA**

Dr. Ramdane Bousсенadj
 Ministère du Commerce
 Boulevard Mohamed V., Alger
 tel.: +021 64 32 46
 fax: +021 63 11 53
 e-mail: rbousсенadj@yahoo.fr

Mrs. Samia Saidi
 Algerian Center of Quality Control and
 Packaging
 Alger
 Route Nationale No5 Bab ezzouar
 tel.: +213 21 24 31 63
 fax: +213 21 24 30 11
 e-mail: cacqe@cacqe.org

ANGOLA

Ms. Maria de Fatima Da Conceicao Melo
 Codex-Angola
 Minader Rua Com. Gika
 tel.: +244 232 1165
 fax: +244 3237
 e-mail: fatimamelo@hotmail.com

Mr. Antonio Jose Sebastiao
 Codex-Angola
 Luanda
 tel.: +244 923 504 374
 e-mail: tonimbaxi@yahoo.com.br

Mr. Homar Simao
 Codex-Angola
 Luanda
 tel.: +244 923 608 488
 fax: +244 233 7294
 e-mail: homar64@yahoo.com.br

**ARGENTINA
ARGENTINE**

Ms. Veronica Maria Torres Leedham
 SENASA Servicio Nacional de Sanidad y Calidad
 Agroalimentaria
 Fleming 1653, Martinez Provincia, Buenos Aires
 tel.: +541 148 360066
 fax: +541 148 360066
 e-mail: vtorres@senasa.gov.ar

**AUSTRALIA
AUSTRALIE**

Dr. Wolfgang Korth
 Australian Government of Agriculture, Fisheries and
 Forestry
 GPO Box 858, 2601 Canberra
 tel.: +61 2 6272 4771
 fax: +61 2 6272 4023
 e-mail: wolfgang.korth@daff.gov.au

Dr. Robert Symons

National Measurement Institute Australia
 PO Box 385
 2073 Pymble NSW
 tel.: +61 2 9449 0150
 fax: +61 2 9449 1653
 e-mail: robert.symons@measurement.gov.au

Mr. John David Widdowson

National Association of Testing Authorities
 71-73 Flemington Road
 3051 North Melbourne
 tel.: +61 3 9329 1633
 fax: +61 3 9329 5148
 e-mail: john.widdowson@nata.asn.au

AUSTRIA**AUTRICHE****Dr. Daniela Schachner**

Österreichische Agentur für Gesundheit
 und Ernährungssicherheit GmbH
 Institut für Lebensmitteluntersuchung
 Bürgerstrasse 47
 4020 Linz
 tel.: +43 732 779071/23
 fax: +43 732 77907115
 e-mail: daniela.schachner@ages.at

BELGIUM**BELGIQUE****BELGICA****Mr. Rudi Vermeylen**

FAVV-AFSCA; Laboratories Dep.
 Boulevard Simon Bolivar 30
 1000 Brussels
 tel.: +32 2 2084 980
 fax: +32 2 2084 975
 e-mail: rudi.vermeylen@favv.be

BRAZIL**BRÉSIL****BRASIL****Dr. Shirley Abrantes**

INCQS-FIOCRUZ
 Av. Brasil 4365
 21045-900 Manguinhos-Rio de Janeiro
 tel.: +55 21 3865 5124, +55 21 962 6548
 fax: +55 21 2290 0915
 e-mail: shirley.abrantes@incqs.fiocruz.br

Mrs. Maria de Fatima Araújo Almeida da Paz

Ministry of Agriculture
 Livestock and Supply
 Av. Almirante Barroso 5384
 66610-000 Belém-Pará
 tel.: +55 91 3214 8633
 fax: +55 91 3243 3355
 e-mail: mariapaz@agricultura.gov.br

Mr. Hoeck Miranda

National Health Surveillance Agency
 SEPN 511 Bloco A
 70-750-541 Brasília DF
 tel.: +55 61 3448-6314
 fax: +55 61 3448 6274
 e-mail: hoeck.miranda@anvisa.gov.br

Mrs. Marta Severo

Ministry of Agriculture
 Livestock and Supply
 Porto Alegre - RS
 Estrada da Ponta Grossa 3036
 tel.: +51 32 482 133
 fax: +51 32 482 133
 e-mail: martasevero@agricultura.gov.br

CANADA**CANADÁ****Dr. Samuel Benrejeb Godefroy**

Health Canada
 251 Sir Frederick Banting Prom
 K1A 0L2 Ottawa, ON
 tel.: +1 613 957 0973
 fax: +1 613 954 4674
 e-mail: BCS-BIPC@hc-sc.gc.ca

Ms. Barbara Lee

Canadian Food Inspection Agency
 159 Cleopatra Drive, K1A 0Y9 Ottawa, ON
 tel.: +1 613 221 7014
 fax: +1 613 221 7235
 e-mail: blee@inspection.gc.ca

**CENTRAL AFRICAN REPUBLIC
 RÉPUBLIQUE CENTRAFRICAINE
 REPÚBLICA CENTROAFRICANA****Jacob Ngaba**

Directeur des Services Pharmaceutiques, des
 Laboratoires et de la Médecine Traditionnelle
 Ministère de la Santé publique et de la Population
 BP 313 Km 5 Bangui (R.C.A.)
 tel.: +236 50 73 87
 e-mail: jngaba2005@yahoo.fr

CHILE / CHILI**Ms. Soraya Sandoval Riquelme**

Ministerio de Salud - ISP Chile
 Marathon 1000 Nunoa, Santiago de Chile
 tel.: +56 2 350 7526
 fax: +56 2 350 7589
 e-mail: soraya@ispch.cl

CHINA / CHINE**Dr. Jieping Shi**

Chief of Division of Surveillance
 Standard and Technical Supervision, SFDA
 A38 Beilishi Rd, West Distr., 100810 Beijing
 tel.: +86 10 8833 0509
 fax: +86 10 8837 0947
 e-mail: shijp@sda.gov.cn

Dr. Fen Jin

Chinese Academy of Agriculture Sciences
Beijing, MOA
12 Nandajie Zhonguancun
tel.: +86 10 6897 5084
fax: +86 10 6211 2533
e-mail: jinfenbj@163.com

Dr. Wang Jun

Institute of Nutrition and Food Safety, Chinese
Center for Disease Control and Prevention,
MOH
7 PanJiaYuanNanLi
100021 Beijing, Chao Yang Distr.
tel.: +86 10 8772 0035
fax: +86 10 6771 1813
e-mail: mwangjun@yahoo.com.cn

Mr. Zhaoying Tian

Standardization Administration of China
9 Madian East Rd, Haidian Dist.
10088 Beijing
tel.: +86 10 8226 2906
fax: +86 10 8226 0687
e-mail: tianzy@sac.gov.cn

Dr. Jianjun Xu

China National Institute of Standardization
4 ZhichunRD., Haidian Distr.
10088 Beijing
tel.: +86 10 5881 1648
fax: +86 10 5881 1641q
e-mail: xujj@cnis.gov.cn

Dr. Wai-cheung Chung

Centre for Food Safety
Food and Environmental Hygiene Department
382 Nam Cheong Street, shek Kip Mei,
Kowloon, Hong Kong
tel.: +852 2319 8439
fax: +852 2776 4335
e-mail: swcchung@fehd.gov.hk

Mr. Wei Wang

Inner Mongolia Inst. for Food and Drug Control
Daxue west road 16, 010020 Huhehaote
tel.: +86 0471 6922 967
fax: +86 0471 6922 967
e-mail: a6922967@public.hh.cn

Mr. Yuehua Luo

Jiangxi Province Inst. for Food and Drug
Control, Jiangxi - Nanchang Beijing Rd.
tel.: +86 0791 6217 767
fax: +86 0791 6293 794
e-mail: luo@sohu.com

Mr. Ying Huang

Sichuan Province Institute for Food and Drug
Control
19 North Str. Chengdu, 610036 Sichuan
tel.: +86 028 8756 4567
fax: +86 028 8753 6405
e-mail: huangy6@126.com

Mr. Songqing Gu

Shanghai Institute for Food and Drug Control
1500 zhang-heng rd.
201203 Shanghai
tel.: +86 021 5079 8157
fax: +86 021 5079 8139
e-mail: huangy6@126.com

Mr. Mingjie Zhang

Permanent Representation of the People's Republic of
China
United Nations Agen. for Food & Agriculture in Rome
via Degli 12 - 00144 Rome
tel.: +39 06 5919 3132
fax: +39 06 5919 3130
e-mail: zhangmingjie@chinamission.it

CUBA**Mr. Yoel Astorga Hernández**

Centro de Investigación y Desarrollo del Comercio
Interior
Ave. Independencia 869 Plaza
10600 La Habana
tel.: +53 7 312601
fax: +53 7 792084
e-mail: yoel@cidci.cu

Mr. Nelson Fernández Gil

Servicios Internacionales de Supervisión Cubacontrol
S.A.
Ave19-A No.21426, Atabey, Playa
12100 La Habana
tel.: +53 7 271 3346
fax: +53 7 271 1332
e-mail: nefil@laboratorio.cubacontrol.com.cu

Mrs. Yania Mederos Caballero

Centro Nacional de Inspección de la Calidad. MINAL.
Ave Rancho Boyeros Km 3,5
Cerro. Ciudad de La Habana
13400
tel.: +53 7 41 1452
e-mail: juana@cnica.cu

CZECH REPUBLIC
RÉPUBLIQUE TCHÉQUE
REPÚBLICA CHECA

Mr. Petr Cuhra

Czech Agriculture and Food Inspection Authority
Za Opravnou 6
150 06 Praha
tel.: +420 2571 99540
fax: +420 2571 99541
e-mail: petr.cuhra@szpi.gov.cz

Mrs. Jana Dobešová

Ministry of Agriculture of the Czech Republic
Tesnov 17
117 05 Praha 1
tel.: +420 221 812 365
fax: +420 222 314 117
e-mail: jana.dobesova@mze.cz

Dr. Bohumil Pokorny

Regional Institut of Public Health Brno
Gorkeho 6
602 00 Brno
tel.: +420 7232 99023
fax: +420 5412 13548
e-mail: pokorny@zubrno.cz

EGYPT
ÉGYPTE
EGIPTO

Mrs. Fatma Riad

Egyptian Organization for Standardization
16 Tadreeb el Modarrebeen st. Ameriya
Cairo, Egypt
tel.: +202 284 5531
fax: +202 284 5528,+202 284 5504
e-mail:moi@idsc.net.eg

Dr. Mohamed El-Sayed Abdel-Gawad
Dosoky

Central Lab of Residue Analysis of Pesticides
and Heavy Metals in Food
7 Nadi El-Said street, Dokki, Giza, Egypt
tel.: +2012 2425 855
fax: +202 7611 216
e-mail: mohamedelsayed@link.net

ESTONIA
ESTONIE

Ms. Siret Dreyersdorff

Minsitry of Agriculture
Food and Veterinary Dept.
39/41 Lai Street
15056 Tallin
tel.: +372 6256 258
fax: +372 6256 210
e-mail: siret.dreyersdorff@agri.ee

EUROPEAN COMMUNITY
COMMUNAUTE EUROPÉENNE
COMUNIDAD EUROPEA

Mrs. Sandrine Valentin

European Commission
L 130 08/65, 1049 Brussels
tel.: +32 2 296 6875
fax: +32 2 295 3310
e-mail: sandrine.valentin@ec.europa.eu

Dr. Eva Zamora Escribano

European Community
Rue Froissart 101
1049 Brussels
tel.: +32 2 299 8682
fax: +32 2 299 8566
e-mail: eva-maria.zamora-escribano@ec.europa.eu

Mr. Marco Mazzara

Joint Research Centre
Via Fermi 1, 21020 Ispra
tel.: +39 332 785773
fax: +39 332 789333
e-mail: marco.mazzara@jrc.it

FINLAND
FINLANDE
FINLANDIA

Mrs. Harriet Wallin

Finnish Food Safety Authority Evira
Mustialankatu 3
FI-00790 Helsinki
tel.: +358 2077 24313
fax: +358 2077 24277
e-mail: harriet.wallin@evira.fi

FRANCE
FRANCE
FRANCIA

Mr. Pascal Audebert

Point de Contact du Codex alimentarius en France
2 boulevard Diderot
75572 Paris Cedex 12
tel.: +33 1 44 87 16 03
fax: +33 1 44 87 16 04
e-mail: pascal.audebert@sgae.gouv.fr

Mr. Alexandre Blanc-Gonnet

Ministere de l'agriculture et de la peche - direction
Générale de l'Alimentation
251 rue de Vaugirard
Paris Cedex - 75732
tel.: +33 1 49 55 81 49
fax: +33 1 49 55 49 61
e-mail:
alexandre.blanc-gonnet@agriculture.gouv.fr

Mr. Bruno Lacourt

Ministere de l'Économie, des Finances et de l'Industrie
Service commun des laboratoires
14 rue Perrée
75003 Paris
tel.: +33 1 53015086
e-mail: bruno.lacourt@scl.finances.gouv.fr

GERMANY
ALLEMANGE
ALEMANIA

Mr. Hermann Broll

Federal Institute for Risk Assessment
Thielallee 88-92
14195 Berlin
tel.: +49 30 412 3639
fax: +49 30 412 3685
e-mail: hermann.broll@bfr.bund.de

Dr. Gerd Fricke

Federal Office of Consumer Protection and Food
Safety
Mauerstrasse 39-42.
10117 Berlin
tel.: +49 30 18444 10000
fax: +49 30 18444 10009
e-mail: gerd.fricke@bvl.bund.de

Dr. Axel Preuss

Chemisches Landes- und Staatliches
Veterinaeruntersuchungsamt
Joseph-Koenig Str. 40.
48147 Muenster
tel.: +49 251 9821 215
fax: +49 251 9821 250
e-mail: preuss@cvua.nrw.de

Dr. Carolin Stachel

Federal Office of Consumer Protection and
Food Safety
Diedersdorfer Weg 1
12277 Berlin
tel.: +49 1888 412 2388
fax: +49 1888 412 2300
e-mail: carolin.stachel@bvl.bund.de

Mr. Andreas Lernhart

General Secretariat of the Council of the EU
Rue de la Loi 175
B-1048 Brussels
tel.: +32 2 281 6241
fax: +32 2 281 6198
e-mail: andreas.lernhart@consilium.europa.eu

GHANA**Mrs. Felicia Ibrahim**

Ghana Standards Board
P.O.Box M.B. 245
Accra
tel.: +233 215 00065/66
fax: +233 215 00092
e-mail: feliciaibrahim@yahoo.com

GREECE**GRECE****GRECIA****Dr. Kontolaimos Vasileios**

Greek Ministry of Rural Development and Food
Acharnon 29, 10439 Athens
tel.: +30 210 8250307
fax: +30 210 8254621
e-mail: cohalka@otenet.gr

HUNGARY**HONGRIE****HUNGRÍA****Dr. Árpád Ambrus**

Hungarian Food Safety Office
Gyáli út 2-6.
1097 Budapest
tel.: +36 1 439 0356
fax: +36 1 387 9400
e-mail: arpad.ambrus@mehib.gov.hu

Dr. Anna Gergely

National Institute for Food Safety & Nutrition
Gyáli út 3/a, 1097 Budapest
tel.: +36 1 476 6441
fax: +36 1 215 5369
e-mail: anna.gergely@mail.com

Dr. Márta Gulyás

National Institute for Food Safety & Nutrition
Gyáli út 3/a.
1097 Budapest
tel.: +36 1 476 6439
fax: +36 1 215 1545
e-mail: gulyasm@oeti.antsz.hu

Dr. Marianna Tóth-Márkus

Central Food Research Institute
Hermann Ottó út 15.
1022 Budapest
tel.: +36 1 355 8244
fax: +36 1 355 8928
e-mail: m.toth@cfri.hu

Dr. Mária Váradi

Central Food Research Institute
Hermann Ottó út 15.
1022 Budapest
tel.: +36 1 355 8982
fax: +36 1 212 9853
e-mail: m.varadi@cfri.hu

Dr. Ildikó Varga

National Institute for Food Safety & Nutrition
Gyáli út 3-a
1097 Budapest
tel.: +36 1 476 6459
fax: +36 1 215 5293
e-mail: kemtox@oeti.antsz.hu

INDIA**INDE****Dr. Satya Prakash**

Central Food Laboratory (CFL)
3-Kyd Street, Kolkata-700016
tel.: +91 33 22291309, +91 33 22277670
fax: +91 33 22498897
e-mail: cflcal@cal.vsnl.net.in

Ravinder Kishore Sharma

Central Insecticides Laboratory (CIL)
Directorate of Plant Protection,
Quarantine & Storage
N.H.IV, Faridabad – 121-001
tel.: + 91 129 2418507
e-mail: rks659_53@yahoo.com

INDONESIA**INDONÉSIE****Mr. Kukuh Ahmad**

National Standardization Agency of Indonesia
Jakarta, Jalan Gatotsubroto
Manggala Wanabakti Blok IV. lt. 4.
tel.: +62 21 574 7043
fax: +62 21 5790 2948
e-mail: kukuh@bsn.or.id

Fajar Nuradi

Indonesian Embassy (Hungary)
Budapest
Városligeti fasor 26.
tel.: +36 1 413 3801 #802
fax: +36 1 3228 669
e-mail: utomo56@yahoo.com

Sri Yusnowati, Dum

Center for Standardization
Diagnostic of Agricultural Quarantine
Laboratory
Jakarta-Timur
Jl. Pemuda nr. 64.
tel.: +62 21 489 4877
fax: +62 21 489 2020
e-mail: yoesno@yahoo.com

IRELAND**IRLANDE****IRLANDA****Mr. Dermot Hayes**

State Laboratory
Celbridge, Co. Kildare
Young's Cross
tel.: +353 1 505 7000
fax: +353 1 505 7070
e-mail: dermot.hayes@statelab.ie

Dr. Lourda Scott

Central Meat Control Laboratory
Department of Agriculture and Food
Backweston Campus
Celbridge Co Kildare
tel.: +353 1 615 7352
fax: +353 1 615 7353
e-mail: lourda.scott@agriculture.gov.ie

IVORY COAST**CÔTE D'IVOIRE****COSTA DE MARFIL****Dr. Kouakou Julie-Ghislaine Sackou**

Institut National d'Hygiène Publique
BP V14 Abidjan
22 BP 1306 Abidjan 22
tel.: +225 2248 7762; +225 0560 1115
fax: +225 2124 6981
e-mail: juliekouakou@yahoo.fr

ITALY**ITALIE****ITALIA****Brunella Lo Turco**

Ministero delle Politiche
Agricole Alimetari e Forestali
Rome, Italy
Via XX Settembre 20
tel.: +39 06 466 560 42
fax: +39 06 488 0273
e-mail: b.loturco@fpoliticheagricole.it

JAPAN**JAPON****JAPÓN****Dr. Yukiko Yamada**

Food Safety and Consumers Affairs Bureau
Ministry of Agriculture, Forestry and Fisheries
1-2-1 Kasumigaseki, Chiyoda-ku
100-8950 Tokyo
tel.: +81 3 3591 4963
fax: +81 3 3597 0329
e-mail: yukiko_yamada@nm.maff.go.jp

Dr. Kazuko Fukushima

Ministry of Health Labour and Welfare
Dept. of Food Safety, Pharmaceutical and Food Safety
Bureau
1-2-2 Kasumigaseki Chiyodaku
100-8916 Tokyo
tel.: +81 3 3595 2326
fax: +81 3 3503 7965
e-mail: fukushima-kazuko@mhlw.go.jp

Mr. Makoto Inoue

Japan Food Hygiene Association
2-6-1 Jinguumae, Shibuya-ku
150-0001 Tokyo
tel.: +81 3 3403 2111
fax: +81 3 3478 0059

Dr. Hidetaka Kobayashi

Food Safety and Consumers Affairs Bureau
Ministry of Agriculture, Forestry and Fisheries
1-2-1 Kasumigaseki, Chiyoda-ku
100-8950 Tokyo
tel.: +81 3 3502 5722
fax: +81 3 3597 0329
e-mail: hidetaka_kobayashi@nm.maff.go.jp

Dr. Rieko Matsuda

National Institute of Health Science
1-18-1 Kamiyoga, Setagaya-ku
158-8501 Tokyo
tel.: +81 3 3700 1141
fax: +81 3 3707 6950
e-mail: matsuda@nihs.go.jp

Mr. Toshiaki Sugimoto

Japan Food Hygiene Association
2-6-1 Jinguumae, Shibuya-ku
150-0001 Tokyo
tel.: +81 3 3403 2111
fax: +81 3 3478 0059
e-mail: sugimototo@jfrl.or.jp

Dr. Takahiro Watanabe

National Institute of Health Science
1-18-1 Kamiyoga, Setagaya-ku
158-8501 Tokyo
tel.: +81 3 3700 1141
fax: +81 3 3707 6950
e-mail: tawata@nihs.go.jp

**KENYA
KENIA****Dr. Rhonest Ntaya**

Kenya Plant Health Inspectorate Service
P.O.Box 49592
00100 Nairobi
tel.: +254 020 884545
fax: +254 020 882265
e-mail: laboratories@kephis.org

Mr. Thomas Odhiambo Owiti

Government Chemist Department
Nairobi
P.O. Box 20753-00202
tel.: +254 020 272 5806
fax: +254 020 271 7567
e-mail: gchemist@wananchi.com,
tomowiti@yahoo.com

KIRIBATI**Ms. Tiero Tetabea**

Ministry of Health and Medical Services
Tarawa, Nowerewere
PO Box. 268
tel.: +686 28 100 / 291
fax: +686 29569
e-mail: areietat@yahoo.com.au

**KOREA, REPUBLIC OF
REPUBLIQUE DE COREE
REPUBLICA DE COREA****Dr. Kwang-Ho Lee**

Korea Food & Drug Administration
#120 Juan-dong, Nam-gu
402-835 Incheon
tel.: +82 32 450 3250
fax: +82 32 429-3388
e-mail: khlee@kfda.go.kr

Dr. Soo-Muk Cho

National Institute Agricultural Science and
Technology, RDA
88-2 Seodun-Dong, Suwon, 441-853
tel.: +82 31 299 0561
fax: +82 31 299 0553
e-mail: soomuk@rda.go.kr

Mr. Ki-Ho Choi

Ministry of Health and Welfare
#1112-1 Bisan-Dong, Dongan-gu
431-050 Anyang, Gyeonggi-Do
tel.: +82 31 440 9115
fax: +82 31 440 9119
e-mail: 21ckh@mohw.go.kr

Dr. Jaeho Ha

Korea Food Research Institute
Kyonoki
tel.: +82 31 780 9127
fax: +82 31 780 9280
e-mail: jhkfri@kfri.re.kr

Mrs. Hye-Jeong Kim

Korea Food & Drug Administration
#194 Tongil-ro Eunpyung-gu
122-704 Seoul
tel.: +82 2 352 4797
fax: +82 2 352 4606
e-mail: flowdeer@kfda.go.kr

Mrs. Jae-Hyun Kim

Ministry of Maritime and Fishery
National Fishery Products & Quality Inspection
Service
400-103 Incheon, 30-16, Shinheungdong 3-ga, Chung-
gu,
tel.: +82 32 881 6064
fax: +82 32 881 6067
e-mail: smart@momaf.go.kr

Dr. Jin-Bae Kim

National Institute of Agricultural Science and
Technology
249 Seodun-Dong, Suwon, 441-707
tel.: +82 31 290 0516
fax: +82 31 290 0506
e-mail: jimbkim@rda.go.kr

Mr. Oh Seung Kwon

Ministry of Maritime Affairs and Fishery
Seoul
140-2 Gye-dong, Jongno-gu, 110-993
tel.: +82 2 3614 6471
fax: +82 2 3614 6417
e-mail: kos20@momaf.go.kr

Mr. Dong-Myung Min

National Agricultural Products Quality Management
Service of MAF
Seoul
Dangsan-Dong Youngdeungpo-gu, 560 3-ga
tel.: +82 02 2165 6070
fax: +82 02 2165 6005
e-mail: dmmin@nags.go.kr

Dr. Jong - Seok Park

Korea Food & Drug Administration
Incheon
#120 Juan-dong, Nam-gu , 402-835
tel.: +82 32 450 3365
fax: +82 32 429-3388
e-mail: johnspak@kfda.go.kr

Dr. Sangaeh Park

Korea Food & Drug Administration
Seoul
194 Tongliro, Eunpyung-Gu, 122-704
tel.: +82 2 380 1665
fax: +82 2 382 4892
e-mail: sangaeh@kfda.go.kr

Ms. Sun Soon Hwang

Korea Food & Drug Administration
Seoul
#194 Tongil-ro, Eunpyung-gu, 122-704
tel.: +82 02 352 4641
fax: +82 02 352 0046
e-mail: hss123@kfda.go.kr

Dr. Wooderck Hawer

Korea Food Research Institute
46-1, Backheon-Dong, Sungnam,
tel.: +82 31 780 9279
fax: +82 31 780 9280
e-mail: wooderck@kfri.re.kr

Ms. Hyun Ah Yu

Ministry of Health and Welfare
Anyang, Gyeonggi-Do
#1112-1 Bisan-Dong, Dongan-gu, 431-050
tel.: +82 31 440 9115
fax: +82 31 440 9119
e-mail: h1022@mohw.go.kr

LIBYA**LIBYE****LIBIA****Dr. Altaher Omer Alzwei**

Food and Drugs Control Center in Lybia
P.O.Box 80342 , Tripoli
tel.: +218 91 321 5372
fax: +218 21 333 6169, 333 5162
e-mail: taherelzwei@yahoo.com

Dr. Achris B. Achmed

Food and Drugs Control Center in Lybia
P.O.Box 80342, Tripoli
tel.: +218 91 217 2006
fax: +218 21 333 5162, 333 538
e-mail: achris@productscontrol.gov.ly

Dr. Mahmud El-Tellisi

Lybian Scientific Laboratories
Tripoli
tel.: +218 91 322 0284
e-mail: mtellisi@hotmail.com

LITHUANIA**LITUANIE****LITUANIA****Dr. Julijonas Petraitis**

National Veterinary Laboratory
J.Kairiukscio 10, LT-08409 Vilnius
tel.: +370 5 2780478
fax: +370 5 2780471
e-mail: jpetraitis@nvl.lt

MALAYSIA**MALAYSIE****MALAYSIA****Mrs. Zaiton Ariffin**

Chemistry Department of Malaysia
Jalan Sultan
46661 Petaling Jaya
tel.: +603 798 53033
fax: +603 798 53028
e-mail: zaiton@kimia.gov.my

Mr. Cheow Keat Chin

Food Safety and Quality Division, Ministry of Health
Malaysia
Level3,Block E7, Parcel E
62590 Putrajaya
tel.: +603 8883 3513
fax: +603 8889 3815
e-mail: chincheowkeat@yahoo.com

MALI**MALÍ****Dr. Issa Toure**

ANSSA
rue 30 5-Quartier du Fleuve
Bamako
tel.: +222 07 54, 667 2600
fax: +222 07 47
e-mail: issatoure2002@yahoo.fr

MYANMAR**Dr. Zin Zin Nwe**

Ministry of Health
Food & Drug Administration
Yangon, Myanmar
35 Minkaung Street
Dagon P.O. 11191
tel.: +95 1 250 282
fax: +95 1 202 026
e-mail: myanmarfda@mptmail.net.mm

THE NETHERLANDS**PAYS-BAS****PAÍSES-BAJOS****Dr. Henk van der Schee**

Food and Consumer Product Safety Authority
Hoogte Kadijk 401
1018 BK Amsterdam
tel.: +31 20 5255 702
fax: +31 20 5255 700
e-mail: henk.van.der.schee@vwa.nl

NEW ZEALAND**NOUVELLE ZÉLANDE****NUEVA ZELANDA****Mr. Phillip Fawcett**

NZ Food Safety Authority
P.O.Box 2835
Wellington
tel.: +64 4 894 2656
fax: +64 4 463 2875
e-mail: phil.fawcett@nzfsa.govt.nz

Mr. Michael Clear

NZ Food Safety Authority
P.O.Box 2835
Wellington
tel.: +64 4 894 2656
fax: +64 4 463 2875
e-mail: mike.clear@nzfsa.govt.nz

Mr. Roger Kissling

Fonterra Co-operative Group Ltd.
Private Bag 885
Waikato 3450
Cambridge
tel.: +64 7 823 3706
fax: +64 7 827 9698
e-mail: roger.kissling@fonterra.com

NIGERIA**Mrs. Stella Denloye**

National Agency for Food and Drug Admin. and Control
Analytical Chemist, Central Laboratory
Oshodi, Lagos
tel.: +234 1 470 8311
fax: +234 1 452 1215
e-mail: nafdacos@beta.linksolve.com

Ms. Ebreowong Ikpong Etteh

National Agency for Food and Drug Admin. and Control
NAFDAC Area Lab. 27b Ndoki st. Port Harcourt
tel.: +802 302 6567
fax: +804 240 070
e-mail: ebreowong@yahoo.com

NORWAY**NORVÉGE****NORUEGA****Mrs. Astrid Nordbotten**

Norwegian Food Safety Authority
Moerveien 12
N-1430 Aas
tel.: +47 6494 4330
fax: +47 6494 4410
e-mail: Astrid.Nordbotten@mattilsynet.no

POLAND**POLOGNE****POLONIA****Ms. Krystyna Starska**

National Institute of Hygiene (PZH)
24 Chocimska str.
00-791 Warsaw
tel.: +48 22 542 1362
fax: +48 22 542 1225
e-mail: kstarska@pzh.gov.pl

Ms. Magdalena Swiderska

Central Laboratory of Agricultural and Food Quality Inspection in Poznan
11/13 Reymonta St.
60-791 Poznan
tel.: +48 61 867 9034
fax: +48 61 867 9019
e-mail: mswiderska@ijhars.gov.pl

ROMANIA**ROMANIE****RUMANIA****Dr. Marinela Ivanescu**

Hygiene and Veterinary Public Health Institute
Campul Mosilor No 5, Sector 2
021201 Bucharest
tel.: +40 21 252 4651
fax: +40 21 252 0061
e-mail: iispv@b.astral.ro

Dr. Gabriela Margescu

Hygiene and Veterinary Public Health Institute
Campul Mosilor No 5, Sector 2
021201 Bucharest
tel.: +40 21 252 4651
fax: +40 21 252 0061
e-mail: iispv@b.astral.ro

Dr. Romeo Lazár

National Authority Sanitary Veterinary Bucharest
Eforie Nord - City
Str. M. Ladovertu 22-26
tel.: +40 723 9696 46
fax: +40 241 7424 78
e-mail: iispv@b.astral.ro

SENEGAL**SÉNÉGAL****Dr. Amadou Kane**

Institute of Food Technology
route des Péres Maristes
BP 2765 Dakar
tel.: +221 859 0707
fax: +221 832 8295
e-mail: amadoukane1@yahoo.fr

SINGAPORE**SINGAPOUR****SINGAPUR****Ms. Cuilian Sun**

Health Sciences Authority
11 Outram Road
169078 Singapore
tel.: +65 6213 0852
fax: +65 6213 0839
e-mail: sun_cuilian@hsa.gov.sg

SLOVAK REPUBLIC**REPUBLIQUE DE SLOVAQUIE****REPUBLICA DE ESLOVAQUIA****Mr. Martin Polovka**

VÚP Food research Institute
Priemyselna 4
SK-824 75 Bratislava
tel.: +421 2 5023 7174
fax: +421 2 5557 1417
e-mail: polovka@vup.sk

SLOVENIA
SLOVÉNIE
ESLOVENIA

Mrs. Jona Repe

Institute of Public Health
 Ljubljana
 Trubarjeva 2
 tel.: +386 01 5205740
 fax: +386 01 5205730
 e-mail: jona.repe@ivz-rs.sl

SPAIN
ESPAGNE
ESPAÑA

Mr. Agustín Carlos-Roca Pons

Ministerio de Sanidad y Consumo (CICC)
 Av/Cantabria s/n
 28042 Madrid
 tel.: +34 9182 24781
 fax: +34 9174 79517
 e-mail: agustin.pons@consumo-inc.es

Dr. Ana Isabel Blanch Cortés

Ministerio de Agricultura, Pesca y Alimentación
 Carretera de La Coruña Km 10,7
 28023 Madrid
 tel.: +34 913 474 999
 fax: +34 913 474 941
 e-mail: anaisabel.blanch@mapya.es

Dr. Pedro Burdaspal

Health and Consumers Affairs
 Spanish Food Safety and Nutrition Agency
 Carretera d Majadahonda Pozuelo
 28220 Madrid
 tel.: +34 9150 97931
 fax: +34 9150 97913
 e-mail: pburdas@isciii.es

Ms. Elia De La Hera Macias

Instituto Nacional de Consumo Centro
 Investigación Control de la Calidad
 Ministerio de Sanidad y Consumo
 Av/Cantabria S/N
 28042 Madrid
 e-mail: elia.hera@consumo-inc.es

SOUTH AFRICA, REPUBLIC OF
AFRIQUE DU SUD
REPÚBLICA DE SUDÁFRICA

Mr. Ephraim Moruke

Department of Agriculture
 Private Bag x343, Pretoria 0001
 tel.: +27 12 319 6609
 fax: +27 12 319 6038
 e-mail: ephraimmor@nda.agric.za

Mr. Jannie Goosen

Department of Agriculture
 Private Bag x5015, Stellenbosch
 tel.: +021 809 1674
 fax: +021 883 8260
 e-mail: jannieg@nda.agric.za

SWEDEN
SUÈDE
SUECIA

Mrs. Eva Lönberg

National Food Administration
 P.O.Box 622
 75126 Uppsala
 tel.: +46 18 175547
 fax: +46 18 105848
 e-mail: codex@slv.se

THAILAND
THAÏLANDE
TAILANDIA

Ms. Churairat Arpanantikul

Food Processing Industry Club
 Federation of Thai Industries
 60 New Rachadapisek Rd
 10110 Bangkok
 tel.: +6689 480 8381
 fax: +662 345 1281-3
 e-mail: churairat.arpanantikul@intl.pepsico.com

Ms. Usa Bamrungbhuet

Office of Commodity and System Standards
 National Bureau of Agriculture Commodity and Food
 Standards
 3 Rajdamnern Nok Av., 4 floor
 10200 Bangkok
 tel.: +66 2 280 3883
 fax: +66 2 280 3899
 e-mail: usa@acfs.go.th, usa_bam@yahoo.com

Ms. Panpimon Chunyanuwat

Department of Agriculture
 50 Jatuchak Bangkok, 10900 Bangkok
 tel.: +66 2 579 3579
 fax: +66 2 940 5736
 e-mail: raschane@gmail.com

Ms. Chanchai Jaengsawang

Bureau of Quality Control of Livestock Products
 Dep. of Medical Sciences
 Ministry of Public Health
 Tivanon Road, Amphur Muang
 11000 Nonthaburi
 tel.: +66 2 951 00 011 ext.9518
 fax: +66 2 951 1021
 e-mail: chanchai@dmisc.moph.go.th

Mrs. Orawan Kaewprakaisangkul

Industrial Development Foundation National Food
 Institute
 2008 Bangkok, Soi Charansanitwong40
 BangyeeKhun Bangphlad
 tel.: +66 2886 8088
 fax: +66 2886 8088
 e-mail: orawan@nfi.or.th

Mr. Somchai Wongsamoot

Bureau of Quality Control of Livestock Products
 Department of Livestock Development
 Tivanon Road Bangkadee
 12000 Pathumthanee
 tel.: +66 2967 9702
 fax: +66 2963 9212
 e-mail:somchai_6@yahoo.com

UNITED KINGDOM
ROYAUME-UNI
REINO UNIDO

Dr. Roger Wood

Food Standards Agency c/o Inst. of Food
 Research
 Norwich Research Park
 NR4 7UA Colney
 tel.: +44 1603 255000
 fax: +44 1603 507723
 e-mail: roger.wood@foodstandards.gsi.gov.uk

Mr. Duncan Arthur

Eurofins Laboratories Ltd.
 445 New Cross Road
 SE14 6TA London
 tel.: +44 20 8694 9330
 fax: +44 20 8691 9163
 e-mail: duncanarthur@eurofins.co.uk

UNITED STATES OF AMERICA
ETATS-UNIS D'AMERIQUE
ESTADOS UNIDOS DE AMÉRICA

Dr. Gregory Diachenko

US Food and Drug Administration
 5100 PaintBranchParkway
 20740 College Park
 tel.: +1 301 436 1898
 fax: +1 301 436 2634
 e-mail: gregory.diachenko@fda.hhs.gov

Mr. Don Kendall

US Dept. of Agriculture
 10383 N. Ambassador Drive
 64153 Kansas City
 tel.: +1 816 891 0401
 fax: +1 816 891 0478
 e-mail: donald.c.kendall@usda.gov

Mr. Syed Ali

United States Dept. of Agriculture
 1400 Independence Av.
 20050 Washington DC
 tel.: +1 202 2050 574
 e-mail: Syed.Ali@fsis.usda.gov

Dr. Michael Sussman

US Dept. of Agriculture
 National Science Laboratory
 801 SummitCrossingPlace,SuiteB
 NC 28054 Gastonia
 tel.: +1 704 867 3873
 fax: +1 704 853 2800
 e-mail: michael.sussman@usda.gov

Dr. Gregory Noonan

US Food and Drug Administration
 5100 PaintBranchParkway
 20740 City College Park
 tel.: +1 301 436 2250
 fax: +1 301 436 2634
 e-mail: gregory.noonan@fda.hhs.gov

Mr. Larry Freese

US Dept. of Agriculture
 Kansas City
 10383 N. Ambassador Drive
 64153
 tel.: +1 816 891 0401
 fax: +1 816 891 0478
 e-mail: larry.d.freese@usda.gov

Ms. Lucyna Kurtyka

Monsanto Company
 1300 I Street NW, Suite 450
 20005 Washington
 tel.: +1 202 383 2861
 fax: +1 202 789 1748
 e-mail: lucyna.k.kurtyka@monsanto.com

VIETNAM
VIỆT NAM

Ms. Bui Thanh Nha

Quality Assurance and Testing Centre, Dir. for
 Standard and Quality, Ministry of Science and
 Technology
 8 Hoang Quoc Viet Road , Hanoi
 tel.: +84 4 756 4618
 fax: +84 4 8361 199
 e-mail: testlab4@quatest1.com.vn

ZAMBIA
ZAMBIE

Mr. Delphin M. Kinkese

Ministry of Health
 Lusaka, Zambia
 P.O. Box 30205
 tel.: +260 1 2530 40/5
 fax: +260 1 253344
 e-mail: dmkinkese@yahoo.co.uk

OBSERVER COUNTRY
PAYS OBSERVATEUR
PAÍS OBSERVADOR

UNION OF COMOROS
UNION DES COMORES
UNIÓN DE LAS COMORAS

Mr. Ali Oumouri

Ministry of Product and Member of ACPCS
 Moroni-Comores
 PO Box 6619
 tel.: +269 357 850
 fax: +269 756 172
 e-mail: alioumouri@yahoo.fr

Ms. Taaloumi Mohamed

Ministry of Product and Member of ACPCS
 Moroni-Comores
 PO Box 6619
 tel.: +269 780 313
 fax: +269 756 172
 e-mail: alioumouri@yahoo

**INTERNATIONAL ORGANISATIONS
 ORGANISATIONS INTERNATIONALES
 ORGANIZACIONES INTERNACIONALES**

Dr. Richard Cantrill

AOCS
 2710 S Boulder Drive
 61803-7190 Urbana IL
 tel.: +1 217 693 4830
 fax: +1 217 351 8091
 e-mail: Richard.Cantrill@aocs.org

Mr. Donald Mittanck

Monsanto Company / U4C
 Detection Methods Technical Lead
 800 North Lindbergh Blvd
 MO 63167 St. Louis
 tel.: +1 314 694 6027
 fax: +1 314 694 4248
 e-mail: don.w.mittanck@monsanto.com

Dr. Ray Shillito

Bayer CropScience LP
 External Laboratory Services
 Research Triangle Park
 T.W. Alexander Drive
 27709 NC
 tel.: +1 919 549 2210
 fax: +1 919 549 3907
 e-mail: ray.shillito@bayercropscience.com

BIPM**Dr. Robert Wielgosz**

BIPM
 Pavillon de Breteuil
 92312 Sèvres
 tel.: +33 145076251
 fax: +33 145342021
 e-mail: rwielgosz@bipm.org

EUROPABIO**Mr. Erik van der Biezen**

Bayer BioScience
 Technologiepark 38
 9052 Ghent
 tel.: +32 9 2430 583
 fax: +32 9 2240 694
 e-mail: erik.vanderbiezen@bayercropscience.com

IDF**Ms. Aurélie Dubois**

International Dairy Federation
 Brussels
 80 Boulevard A Reyers
 1000
 tel.: +32 2 706 8645
 fax: +32 2 733 0413
 e-mail: adubois@fil-idf.org

Mr. Fred J.P. van Luin

MCS Nederland
 Zutphen
 Postbus 119
 7200 AC
 tel.: +31 575 595 697
 fax: +31 575 543 889
 e-mail: vanluin@mcs-nederland.nl

Mr. Rinus van Schaik

ISO - c/o COKZ
 P O Box 250
 3830 AG Leusden
 The Netherlands
 Tel.: +31 33 4965 640
 Fax: +31 33 4965 666
 E-mail: SCHAIK@COKZ.nl

IFT**Prof. David Min**

Ohio State University
 Food Science and Technology
 Columbus
 2015 Fyffe Road
 43210
 tel.: +1 614 292 7801
 fax: +1 314 292 0218
 e-mail: min.2@osu.edu

IFU**Mr. David Hammond**

IFU Int. Federation of Fruit Juice Producers
 Paris
 23 Boulevard des Capucines
 75002
 tel.: +331 47428280
 fax: +331 47428281
 e-mail: davidhammond@eurofins.com

ISO**Ms. Marie-Noelle Bourquin**

International Organisation for Standardization
 1 chemin de laVoie-Creuse
 1211 Geneve 20
 tel.: +41 22 749 7293
 fax: +41 22 749 7349
 e-mail: bourquin@iso.org

Mr. Jean-Baptiste Finidori

AFNOR
Saint-Denis La Plaine
11 Rue Francis de Pressensé
93571
e-mail: jeanbaptiste.finidori@afnor.org

NMKL

Mrs. Hilde Skaar Norli

NMKL, Nordic Committee on Food Analysis
National Veterinary Institute
Oslo
PO Box 8156
0033
tel.: +47 2321 6249
fax: +47 2321 6202
e-mail: nmkl@vetinst.no

JOINT FAO/WHO SECRETARIAT

Dr. Selma Doyran

Senior Food Standards Officer
Joint FAO/WHO Food Standards Programme
FAO
Viale delle Terme di Caracalla
00153 Rome, Italy
tel.: +39 06 570 55826
fax: +39 06 570 54593
e-mail: selma.doyran@fao.org

Dr. Verna Carolissen

Food Standards Officer
Joint FAO/WHO Food Standards Programme
FAO
Viale delle Terme di Caracalla
00153 Rome, Italy
tel.: +39 06 5705 5629
fax: +39 06 5705 4593
e-mail: verna.carolissen@fao.org

Dr. Ym Shik Lee

Food Standards Officer
Joint FAO/WHO Food Standards Programme
FAO
Viale delle Terme di Caracalla
00153 Rome, Italy
tel.: +39 06 5705 5854
fax: +39 06 5705 4593
e-mail: ymshik.lee@fao.org

**PROPOSED AMENDMENT TO THE PRINCIPLES FOR THE ESTABLISHMENT OR
SELECTION OF CODEX SAMPLING PROCEDURES**

PURPOSE OF CODEX METHODS OF SAMPLING

Codex Methods of Sampling are designed to ensure that fair and valid sampling procedures are used when food is being tested for compliance with a particular Codex commodity standard. The sampling methods are intended for use as international methods designed to avoid or remove difficulties which may be created by diverging legal, administrative and technical approaches to sampling and by diverging interpretation of results of analysis in relation to lots or consignments of foods, in the light of the relevant provision(s) of the applicable Codex standard.

METHODS OF SAMPLING

Types of Sampling Plans and Procedures

(a) Sampling Plans for Commodity Defects:

Such plans ~~These~~ are normally applied to visual defects (e.g. loss of colour, ~~mis-graded for misgrading of~~ size, etc.) and extraneous matter. They ~~are~~ will normally be attributes plans, and plans such as those included in Section 3.1 and 4.2 of the ~~FAO/WHO Codex Alimentarius Sampling Plans for Prepackaged Foods (AQL 6.5) General Guidelines on Sampling (CAC/GL 50-2004)~~ (hereinafter referred to as "General Guidelines") may be applied.

(b) Sampling Plans for Net Contents:

~~These~~ Such plans are ~~sampling plans~~ those which apply to pre-packaged foods generally and are intended to serve to check compliance of lots or consignments with provisions for net contents. Plans such as those included in Section 3.3 and 4.4 of the General Guidelines may be applied.

(c) Sampling Plans for Compositional Criteria:

Such plans are normally applied to analytically determined compositional criteria (e.g., loss on drying in white sugar, etc.). They are predominantly based on variable procedures with unknown standard deviation. Plans such as those included in Section 4.3 of the General Guidelines may be applied.

(d) Specific Sampling Plans for Health-related Properties:

Such plans are ~~generally~~ normally applied to heterogeneous conditions, e.g., in the assessment of microbiological spoilage, microbial by-products or sporadically occurring chemical contaminants.

General Instructions for the Selection of Methods of Sampling

~~(a) Official methods of sampling as elaborated by international organizations occupying themselves with a food or a group of foods are preferred. Such methods, when attracted to Codex standards, may be revised using Codex recommended sampling terms (to be elaborated).~~

(a) Sampling methods described in the General Guidelines or official methods of sampling elaborated by international organizations occupying themselves with a food or a group of foods are preferred. Such official methods may be written using the General Guidelines when attracted to Codex standards.

(b) When selecting appropriate sampling plans, Table 1 in the General Guidelines may be utilized.

~~(bc)~~ The appropriate Codex Commodity Committee should indicate, before it elaborates any sampling plan, or before any plan is endorsed by the Codex Committee on Methods of Analysis and Sampling, the following:

- (i) the basis on which the criteria in the Codex Commodity standards have been drawn up (e.g. whether on the basis that every item in a lot, or a specified high proportion, shall comply with the provision in the standard or whether the average of a set of samples extracted from a lot must comply and, if so, whether a minimum or maximum tolerance, as appropriate, is to be given);
- (ii) whether there is to be any differentiation in the relative importance of the criteria in the standards and, if so, what is the appropriate statistical parameter each criterion should attract, and hence, the basis for judgement when a lot is in conformity with a standard.

(ed) Instructions on the procedure for the taking of samples should indicate the following:

- (i) the measures necessary in order to ensure that the sample taken is representative of the consignment or of the lot;
- (ii) the size and the number of individual items forming the sample taken from the lot or consignment;
- (iii) the administrative measures for taking and handling the sample.

(ee) The sampling protocol may include the following information:

- (i) the statistical criteria to be used for acceptance or rejection of the lot on the basis of the sample;
- (ii) the procedures to be adopted in cases of dispute.

GENERAL CONSIDERATIONS

(a) The Codex Committee on Methods of Analysis and Sampling should maintain closest possible relations with all interested organizations working on methods of analysis and sampling.

(b) The Codex Committee on Methods of Analysis and Sampling should organize its work in such a manner as to keep under constant review all methods of analysis and sampling published in the Codex Alimentarius.

(c) In the Codex methods of analysis, provision should be made for variations in reagent concentrations and specifications from country to country.

(d) Codex methods of analysis which have been derived from scientific journals, theses, or publications, either not readily available or available in languages other than the official languages of FAO and WHO, or which for other reasons should be printed in the Codex Alimentarius *in extenso*, should follow the standard layout for methods of analysis as adopted by the Codex Committee on Methods of Analysis and Sampling.

(e) Methods of analysis which have already been printed as official methods of analysis in other available publications and which are adopted as Codex methods need only be quoted by reference in the Codex Alimentarius.

STATUS OF ENDORSEMENT OF METHODS OF ANALYSIS

All methods are endorsed unless otherwise specified.

- A. Codex Committee on Processed Fruits and Vegetables
- B. FAO/WHO Coordinating Committee for Asia
- C. Codex Committee on Fish and Fishery Products
- D. Codex Committee on Fats and Oils
- E. Update of methods previously endorsed

A. CODEX COMMITTEE ON PROCESSED FRUITS AND VEGETABLES¹

1. Draft Standard for Pickled Fruits and Vegetables (At Step 8)

PROVISION	METHOD	PRINCIPLE	TYPE
Arsenic	AOAC 952.13 (Codex General Method)	Colorimetry, diethyldithiocarbamate	II
	ISO 6634:1982	Spectrophotometry, silver diethyldithiocarbamate	III
Benzoic acid	NMKL 103 (1984); or AOAC 983.16	Gas Chromatography	III

¹ ALINORM 07/30/27, Appendices II to V

PROVISION	METHOD	PRINCIPLE	TYPE
	NMKL 124 (1997)	Liquid Chromatography	II
Drained weight	AOAC 968.30 (Codex General Method for processed fruits and vegetables)	Sieving Gravimetry	I
Fill of containers	CAC/RM 46-1972 ² (Codex General Method for processed fruits and vegetables)	Weighing	I
Lead	AOAC 972.25 (Codex General Method)	Atomic absorption spectrophotometry (Flame absorption)	III
pH	AOAC 981.12	Potentiometry	III
	NMKL 179:2005		II
Sorbate	NMKL 103 (1984); or AOAC 983.16	Gas Chromatography	III
	NMKL 124 (1997)	Liquid Chromatography	II
Tin	AOAC 980.19 (Codex General Method)	Atomic absorption spectrophotometry	II

2. Draft Standard for Processed Tomato Concentrates (At Step 8)

PROVISION	METHOD	PRINCIPLE	TYPE
Fill of containers	CAC/RM 46-1972 (Codex General Method for processed fruits and vegetables)	Weighing	I

² As previously amended (ALINORM 03/23, Appendix VI-H)

PROVISION	METHOD	PRINCIPLE	TYPE
Lactic Acid	EN 2631:1999	Enzymatic determination	II
Mould count	AOAC 965.41	Howard mould count	I
pH	AOAC 981.12	Potentiometry	III
	NMKL 179:2005		II
Tomato soluble solids	AOAC 970.59	Refractometry	I

3. Draft Standard for Preserved Tomatoes (At Step 8)

PROVISION	METHOD	PRINCIPLE	TYPE
Calcium	NMKL 153:1996	Atomic Absorption Spectrophotometry	II
	AOAC 968.31 (Codex General Method for processed fruits and vegetables)	Complexometry Titrimetry	III
Drained weight	AOAC 968.30 (Codex General Method for processed fruits and vegetables)	Sieving Gravimetry	I
	ISO UNIUN SERIES 2331*	Sieving Gravimetry	I (TE)

PROVISION	METHOD	PRINCIPLE	TYPE
Fill of containers	CAC/RM 46-1972 (Codex General Method for processed fruits and vegetables)	Weighing	I
Mould count	AOAC 965.41	Howard mould count	I
pH	AOAC 981.12	Potentiometry	III
	NMKL 179:2005		II
Solids (Soluble)	AOAC 932.12 ISO 2173:2003 (Codex General Method for processed fruits and vegetables)	Refractometry	I

* for crushed style tomatoes only

4. Draft Standard for Certain Canned Citrus Fruits (At Step 8)

PROVISION	METHOD	PRINCIPLE	TYPE
Calcium	NMKL 153:1996	Atomic Absorption Spectrophotometry	II
	AOAC 968.31 (Codex General Method for processed fruits and vegetables)	Complexometry Titrimetry	III
Drained weight	AOAC 968.30 (Codex General Method for processed fruits and vegetables)	Sieving Gravimetry	I
Fill of containers	CAC/RM 46-1972 (Codex General Method for processed fruits and vegetables)	Weighing	I

PROVISION	METHOD	PRINCIPLE	TYPE
Solids (Soluble)	AOAC 932.12 ISO 2173:1978	Refractometry	I

B. FAO/WHO COORDINATING COMMITTEE FOR ASIA³

Proposed Draft Standard for Gochujang (At Step 5)

PROVISION	METHOD	PRINCIPLE	TYPE	STATUS OF ENDORSEMENT
Capsaicin	AOAC 995.03	HPLC	II	E
	According to the method described in the Annex A or B ⁴ .	Gas chromatography / HPLC	IV	TE
Crude Protein	AOAC 984.13 (Nitrogen conversion factor: 6.25).	Kjeldahl	I	TE
Moisture	AOAC 934.01.	Gravimetry	I	TE

C. CODEX COMMITTEE ON FISH AND FISHERY PRODUCTS⁵

Proposed Draft Standard for Live and Raw Bivalve Molluscs (At Step 5)

COMMODITY	PROVISION	METHOD	PRINCIPLE	TYPE
Raw Bivalve Molluscs	Net weight of products covered by glaze	AOAC 963.18	weighing	I
	Net weight of products covered by glaze with water added inside a "block-frozen" product	AOAC 963.26	weighing	I

³ ALINORM 07/30/15, Appendix II

⁴ CX/MAS 07/28/6

⁵ ALINORM 07/30/18, Appendix V

Drained weight of shucked molluscs

AOAC 953.11

weighing

I

Determination of Biotoxins

PROVISION	METHOD	PRINCIPLE	TYPE
Saxitoxin Group	AOAC 2005.06 (Paralytic Shellfish Poisoning Toxins in Shellfish) NMKL 182: 2005	LC-FL	II

D. CODEX COMMITTEE ON FATS AND OILS⁶**1. Draft Standard for Fat Spreads and Blended Spreads (At Step 8)**

PROVISION	METHOD	PRINCIPLE	TYPE
fat content	ISO 17189 IDF 194: 2003	Gravimetry	I

2. Draft Amendment to the Standard for Named Vegetable Oils: Rice Bran Oil (at Step 6)

PROVISION	METHOD	PRINCIPLE	TYPE
gamma oryzanols	see description below	spectrophotometry	IV

Method of Analysis for Gamma Oryzanols

⁶ ALINORM 07/30/17, Appendices II, V and VIII

1. Definition

This method is used to determine gamma oryzanol content (%) in oils from spectrophotometer absorption measurements at the wavelength of maximum absorption near 315nm.

2. Scope

Applicable to crude rice bran oil.

3. Apparatus

3.1. Spectrophotometer - for measuring extinction in the ultraviolet between 310 and 320 nm.

3.2. Rectangular quartz cuvettes - having an optical light path of 1 cm.

3.3. Volumetric flask - 25mL.

3.4. Filter paper - Whatman no.2, or equivalent.

4. Reagents

4.1. n-Heptane - Spectrophotometrically pure.

5. Procedure

5.1. Before using, the spectrophotometer should be properly adjusted to a zero reading filling both the sample cuvette and the reference cuvette with n-Heptane.

5.2. Filter the oil sample through filter paper at ambient temperature.

5.3. Weigh accurately approximately 0.02g of the sample so prepared into a 25mL volumetric flask, make up to the mark with n-Heptane.

5.4. Fill a cuvette with the solution obtained and measure the extinction at the wavelength of maximum absorption near 315nm, using the same solvent as a reference.

5.5. The extinction values recorded must lie within the range 0.3-0.6. If not, the measurements must be repeated using more concentrated or more diluted solutions as appropriate.

6. Calculation

Calculate gamma oryzanol content as follows:

$$\text{Gamma oryzanol content, \%} = 25 \times (1 / W) \times A \times (1 / E)$$

Where -

W = mass of sample, g

A = maximum extinction (absorbance) of the solution

E = specific extinction $E_{1\%}^{1\text{cm}} = 359$

3. Update of existing methods for fats and oils

COMMODITY	PROVISION	METHOD	PRINCIPLE	TYPE
Fats and Oils (all)	Arsenic	AOAC 952.13 (Codex general method)	Colorimetry (diethyldithiocarbamate)	II
Fats and oils	Butylhydroxyanisole, butylhydroxytoluene, tert- butylhydroquinone, & propyl gallate	AOAC 983.15; or AOCS Ce-6-86	Liquid chromatography	II
Fats and Oils (all)	Insoluble impurities	ISO 663:2007	Gravimetry	I
Fats and Oils (all)	Lead	AOAC 994.02 ISO 12193:2004 (Codex general method) or AOCS Ca 18c-91 (03)	Atomic absorption spectrophotometry (direct graphite furnace)	II
Fats and Oils (all)	Matter volatile at 105°C	ISO 662:1998	Gravimetry (open- drying)	I
Fats and Oils (all)	Soap content	BS 684 Section 2.5; or AOCS Cc 17-95 (97)	Gravimetry	I
Fats and oils not covered by individual standards	Acid Value	ISO 660:1996; or AOCS Cd 3d-63 (03)	Titrimetry	I
Fats and oils not covered by individual standards	Copper and Iron	AOAC 990.05 ISO 8294:1994; or AOCS Ca 18b-91 (03) (Codex general method)	Atomic absorption Spectrophotometry (direct graphite furnace)	II
Fats and oils not covered by individual standards	Peroxide value	AOCS Cd 8b-90 ISO 3961:1996	Titrimetry using <i>iso</i> - octane	I

Named Animal Fats	Acidity	ISO 660:1996 amended 2003; or AOCS Cd 3d-63 (03)	Titrimetry	I
Named Animal Fats	GLC ranges of fatty acid composition	ISO 5508: 1990 and ISO 5509: 2000 or AOCS Ce 2-66 (97) and Ce 1e-91 (01) or Ce 1f-96 (02)	Gas chromatography of methyl esters	II
Named Animal Fats	Copper and Iron	AOAC 990.05 ISO 8294:1994; or AOCS Ca 18b-91 (03) (Codex general method)	Atomic absorption Spectrophotometry (direct graphite furnace)	II
Named Animal Fats	Iodine value (IV)	ISO 3961:1996; or AOAC 993.20; or AOCS Cd 1d-1992 (97)	Wijs-Titrimetry	I
Named Animal Fats	Peroxide value	AOCS Cd 8b-90 (97) ISO 3961:1996	Titrimetry using <i>iso</i> - octane	I
Named Animal Fats	Relative density	Note: Needs to be replaced with ISO/AOCS method for apparent density	Pycnometry	II
Named Animal Fats	Refractive index	ISO 6320:2000; or AOCS Cc 7-25 (02)	Refractometry	II
Named Animal Fats	Saponification value	ISO 3657:2002; or AOCS Cd 3-25 (03)	Titrimetry	I
Named Animal Fats	Unsaponifiable matter	ISO 3596:2000 or ISO 18609: 2000; or AOCS Ca 6b-53 (01)	Titrimetry after extraction with diethyl ether	I
Named Animal Fats	Titre	ISO 935:1988; or AOCS Cc 12-59 (97)	Thermometry	I

E. UPDATE OF METHODS IN EXISTING STANDARDS**1. Codex Standard for Cocoa Butter (CODEX STAN 86-1981)**

PROVISION	METHOD	PRINCIPLE	TYPE
Free fatty acids	ISO660:1996 amended 2003; or AOCS Cd 3d-63 (03)	Titrimetry	I
Unsaponifiable matter	ISO 3596:2000 or ISO 18609: 2000; or AOCS Ca 6b-53 (01)	Titrimetry after extraction with diethyl ether	I

2. Guidelines for Nutrition Labelling (CAC/GL2-1985)

PROVISION	METHOD	PRINCIPLE	TYPE
Polyunsaturated fatty acids	AOCS Ce 1h-05 ⁷	Gas Liquid chromatography	II
Saturated fat	AOAC 996.06; or AOCS Ce 1h-05	Gas liquid chromatography	II
Saturated fatty acids	AOCS Ce 1h-05	Gas liquid chromatography	II

⁷ Can also be used to measure *trans* unsaturated fatty acids

DRAFT GUIDELINES FOR SETTLING DISPUTES OVER ANALYTICAL (TEST) RESULTS**(At Step 6 of the Procedure)****1. SCOPE:**

These guidelines provide guidance to governments on the procedures to resolve disputes which arise between food control authorities about the status of a food consignment⁸, when the test results by the laboratory⁹ in the importing country disagree with test results by the laboratory in the exporting country over the same lot¹⁰.

The basic assumption is that when the assessment based on test results made in the importing country disagrees with the assessment made by the exporting country.

These guidelines only address disputes related to methods of analysis or laboratory performance and do not address questions of sampling. It is recognised that disputes may arise from other cause(s), which should also be investigated¹¹.

These guidelines do not cover microbiological test results.

2. PREREQUISITES:

The procedure described in these Guidelines may only be used when:

- laboratories comply with quality assurance provisions and with the *Codex Guidelines for the Assessment of the Competence of Testing Laboratories Involved in the Import and the Export of Food (CAC-GL 27)*; and the laboratories have been designated by their respective Competent Authorities in both the importing and exporting countries;
- at least, one representative analytical laboratory sample from the same food lot has been taken by each Competent Authority in accordance with established sampling plans and/or good sampling practices, where applicable; the laboratory sample has been split for the purposes of analysis and for confirmatory analysis (reserve sample); the reserve sample has been kept in a satisfactory condition for the appropriate length of time.

3. PROCEDURE:

(see FLOWCHART)

⁸ Status of the food consignment depends on the "interpretation" of the test result(s), in the light of measurement uncertainty, sampling error and the closeness of those test results to the limit. It could still be that the results do not differ by an amount which is significant, but nevertheless one result indicates conformity, but the other result does not.

⁹ For the purpose of these guidelines, the word "laboratory" applies to both official and officially recognised laboratories. An official laboratory would be a laboratory administered by a government agency having jurisdiction empowered to perform a regulatory or enforcement function or both. An officially recognised laboratory would be a laboratory that has been formally approved or recognised by a government agency having jurisdiction.

¹⁰ As defined in the General Guidelines for Sampling (CAC/GL 54 -2004)

⁴ Possible reasons for disagreement may include one or several causes such as : the existence, appropriateness and statistical validity of the sampling plan used to assess the product; the allowances made for normal measurement error and within-lot product variation; differences in physical sampling procedures; differences in composition of the samples tested due to product inhomogeneity or changes occurring during storage and/or transport of the product;

The settlement of the dispute without new analysis or sampling operations should be the preferred option as far as possible.

3.1. – STEP 1: THE ANALYTICAL RESULTS ARE COMPARED USING THE REPRODUCIBILITY LIMIT

When the difference between the test results are within the existing reproducibility limit, the mean value of the test results of the 2 laboratories should be used to assess conformity, taking into account measurement uncertainty of the mean (see ANNEX for definition).

When both laboratories have used the same method of analysis and published reproducibility limits exist for the method, these limits should be used.

In other cases, the ANNEX suggests a simple procedure, based on the Horwitz's model, to implement this criterion and resolve the dispute. When available or recognised, other models than Horwitz's could be used.

If results are outside the reproducibility limit, the attempt to resolve the dispute should proceed to step 2.

In case these models cannot be applied, the attempt to resolve the dispute should proceed directly to step 2.

3.2. – STEP 2: THE RESULTS AND PROCEDURES OF THE LABORATORY OF THE EXPORTING COUNTRY AND ITS COUNTERPART IN THE IMPORTING COUNTRY ARE COMPARED

In accordance with relevant Codex Guidelines¹², the following information should be shared between competent authorities of the importing and exporting country to allow comparison of the results and procedures of the laboratory of the exporting country and its counterpart in the importing country. The relevant information covers:

- validation status of the methods of analysis used (including method specific sampling and preparation procedures),
- raw data (including spectral data, calculations, chemical standards used are assessed and are in order),
- results of repeat analysis,
- internal quality assurance/control (assessment of control charts, sequence of analysis, blank data, recovery data, uncertainty data, use of appropriate reference standards and materials),
- performance in relevant proficiency testing or collaborative studies.
- official accreditation status of the laboratories and

Each competent authority reviews its initial assessment on the basis of the additional information received from the other in order to recognise the validity of the results of one of the two laboratories (agreement on conformity or agreement on non conformity).

In this way, the dispute is resolved without further analysis or sampling.

If no agreement is reached, resolution of the dispute may be sought using the next step (where reserve samples are available).

3.3. – STEP 3: NEW ANALYSES ARE CARRIED OUT

Prerequisites

If it is established that sample integrity has not been compromised in transit, there is an agreement on:

1. the sharing/swapping of the reserve samples,
2. the methods of analysis,
3. the laboratories involved: each laboratory may undertake new analyses or one laboratory in the presence of a representative of the other; or a third laboratory may be selected by consensus of

¹² See ANNEX to GUIDELINES FOR THE EXCHANGE OF INFORMATION BETWEEN COUNTRIES ON REJECTIONS OF IMPORTED FOOD (CAC/GL 25-1997): "Where imported food has been rejected on the basis of sampling and/or analysis in the importing country, details should be made available on request as to sampling and analytical methods and test results and the identity of the testing laboratory."

exporting and importing country, or, failing that, by the competent authority of the importing country; and

4. the use of the new analytical results: either the initial results are discarded and the settlement of the dispute is determined by the comparison of the new results obtained; or the new results are used to confirm the validity of one of the two results obtained initially.

Available approaches

One (or more) may be selected.

A.– SEARCH FOR LABORATORY BIAS

It may be agreed to check for laboratory bias, by testing common samples.¹³ Performances are compared by testing a common sample with a known analyte content, preferably certified reference material. The original results are then corrected according to the bias found. If the results are in agreement, within the reproducibility limit, the dispute is settled.

B.– IDENTIFICATION OF A SAMPLING PROBLEM

The two laboratories may swap their reserve samples. If both laboratories confirm the original results received by the other one, a sampling problem is identified.

C.– ANALYSES OF RESERVE SAMPLES

The new analyses are performed on shared reserve samples. Either:

1. analyses are performed in one laboratory in the presence of a representative of the other laboratory. The new results are used to assess conformity.
2. the two laboratories carry analyses separately: If the new results are in agreement, the dispute is settled. If no agreement is reached, resolution of the dispute may be sought by proceeding to step 4.


3.4 – STEP 4: New samples taken from the consignment are analysed

The consignment is located in the importing country. At this stage, the initial test results are no longer taken into account. The modalities of sampling and analysis are decided by consensus.

At the request of the competent authority of the exporting country, a new sampling of the consignment is carried out and new analyses are performed in a laboratory selected by consensus or, failing that, by the competent authority of the importing country.

¹³ To investigate analytical differences (biases) between laboratories, the laboratories need to test samples with known analyte concentrations (usually duplicate split samples). It is not necessary to test or retest samples from the original consignment of product under dispute: this would only be required if a reassessment were needed. To provide a reasonable estimate of bias, several (split) samples should be analysed, one duplicate of each sample at each laboratory. The appropriate number of samples should be used for the estimate of the bias to be reliable.

FLOWCHART



ANNEX

Definition of a maximum acceptable difference Δ_{\max}

Let define the average contents of the sample T and the relative difference between results $\Delta\%$ as:

$$T = \frac{Y_1 + Y_2}{2}$$

$$\Delta\% = \frac{|Y_1 - Y_2|}{T} \times 100$$

The acceptance condition is that the difference between both results is below reproducibility limit defined in ISO 5725 from the reproducibility standard deviation s_R :

$$|Y_1 - Y_2| \leq 2.83s_R$$

If there is no published reproducibility, it is possible to use the model of Horwitz to calculate the limit of reproducibility as:

$$s_R = 0.02 \times T^{0.8495}$$

Then it comes:

$$|Y_1 - Y_2| \leq 0.0566 \times T^{0.8495}$$

Thus, the maximal acceptable difference (relative) is:

$$\Delta_{\max} \leq \frac{0.0566 \times T^{0.8495}}{T} \times 100$$

Figure 1 illustrates, as an abacus, this decision criterion. When dealing with concentration around 1 ppm, the relative difference between results must be below 45%. This value seems rather high but, for instance, it is often consistent with the toxicological meaning of a contaminant. When available or recognized other models than Horwitz's could be used (see Table 1).

Measurement uncertainty of the mean

Let define u_1 and u_2 as the measurement uncertainty of each individual test results Y_1 and Y_2 respectively, then the measurement uncertainty of the mean is:

$$u_{mean} = \sqrt{\frac{u_1^2 + u_2^2}{4}}$$




Figure 1. Relative Maximum acceptable difference based on Horwitz's model




Figure 2. Relative Maximum acceptable difference based on Thompson's model

Table 1. Published recognized models

Name	Range (dimensionless)	Equation of s_R	Equation for Δ_{\max} (%)	Figure
Horwitz [1]	10^{-1} to $1.2 \cdot 10^{-7}$	$s_R = 0.02 \times T^{0.8495}$	$\Delta_{\max} \leq \frac{5.66 \times T^{0.8495}}{T}$	1
Thompson [2]	$> 1.38 \cdot 10^{-1}$	$s_R = 0.01 \times T^{0.5}$	$\Delta_{\max} \leq \frac{2.83 \times T^{0.5}}{T}$	2
	$1.38 \cdot 10^{-1}$ to $1.2 \cdot 10^{-7}$	$s_R = 0.02 \times T^{0.8495}$	$\Delta_{\max} \leq \frac{5.66 \times T^{0.8495}}{T}$	
	$< 1.2 \cdot 10^{-7}$	$s_R = 0.22 \square T$	62.26%	

References

- [1] Horwitz W. (1980) Quality Assurance in the Analysis of Foods for Trace Constituents, *J of the AOAC* 63:6, 1344-1354
- [2] Thompson M. (2000) Recent trends in inter-laboratory precision at ppb and sub-ppb concentrations in relation to fitness for purpose criteria in proficiency testing, *Analyst* 125, 385-386

or

3. OCCURRENCE OF A DISPUTE

A dispute within the meaning of these guidelines arises when the difference between the results obtained in the two laboratories is larger than the sum of their two expanded measurement uncertainties, and one of the two countries claims the non-compliance.

It would be expected that the expanded measurement uncertainties reported by the laboratories will not substantially exceed two times the value of the estimated reproducibility standard deviation (S_R) at the concentration of interest if the laboratory is in "analytical control".

4. The analytical results are compared taking into account measurement uncertainty

By providing the necessary documents, the laboratories involved demonstrate that they are accredited for the analyses concerned, and hence meet the prerequisites outlined above.

In accordance with relevant Codex Guidelines¹⁴, the following information should be shared between Competent Authorities of the importing and exporting country to allow comparison of the results and procedures of the laboratory of the exporting country and its counterpart in the importing country. The relevant information covers:

- validation status of the methods of analysis used and a method description (including method specific sampling and preparation procedures),

¹⁴ See ANNEX to GUIDELINES FOR THE EXCHANGE OF INFORMATION BETWEEN COUNTRIES ON REJECTIONS OF IMPORTED FOOD (CAC/GL 25-1997): "Where imported food has been rejected on the basis of sampling and/or analysis in the importing country, details should be made available on request as to sampling and analytical methods and test results and the identity of the testing laboratory."

- raw data (including spectral data, calculations, chemical standards used)
- results of replicate analyses,
- internal quality assurance/control procedures (control charts, sequence of analysis, blank data, recovery data, recovery correction, uncertainty data, use of appropriate reference standards and materials),
- official accreditation status of the laboratories and
- performance in relevant proficiency testing schemes.

Each competent authority reviews its initial assessment on the basis of the additional information received from the other in order to recognise the validity of the results of each of the laboratories. If the results from each laboratory are accepted, then the importing country will use its own result to assess the compliance.

If the result from one laboratory is agreed not to be acceptable, then the result from that laboratory is discarded and the consignment is either accepted/rejected on the basis of the remaining result.

In this way, the dispute is resolved without further analysis or sampling.

If no agreement is reached, the dispute may be resolved as described below.

5. FURTHER ANALYSES ARE CARRIED OUT

Prerequisites

If it is established that sample integrity has not been compromised in transit, there is an agreement on:

1. the sharing/swapping of any reserve samples,
2. the methods of analysis to be used by each laboratory,
3. whether there is any laboratory bias (i.e. it may be agreed to check for laboratory bias by testing common samples¹⁵).

RESOLUTION BY EVALUATION OF THE LABORATORY BIAS

Results from each laboratory are compared by testing a common sample with a known analyte content, preferably certified reference material. The original results are then corrected if a bias has been found. If the results, taking into account the measurement uncertainty, show that the same decision on compliance by both laboratories of the importing and exporting countries is found, then the dispute is resolved.

ANALYSES OF RESERVE SAMPLES

If necessary further analyses may be carried out on:

- any reserve samples taken by the exporting country but then analysed by a further designated laboratory in the importing country,
- the split sample taken on importation but analysed by a second designated laboratory in the importing country or
- the second sample taken on importation but analysed by a second designated laboratory in the importing country.

If any of the above analyses show the consignment to be unsatisfactory, the consignment is considered to be out of compliance with the Codex specification.

¹⁵To investigate analytical differences (biases) between laboratories, the laboratories need to test samples with known analyte concentrations (usually duplicate split samples). It is not necessary to test or retest samples from the original consignment of product under dispute: this would only be required if a reassessment were needed. To provide a reasonable estimate of bias, several (split) samples should be analysed, one duplicate of each sample at each laboratory. The appropriate number of samples should be used for the estimate of the bias to be reliable.

NEW SAMPLES TAKEN FROM THE CONSIGNMENT IF IT IS STILL AVAILABLE

The consignment is located in the importing country. At this stage, the initial test results are no longer taken into account. The modalities of sampling and analysis are decided by consensus.

It might be agreed upon to carry out sampling and analysis in the presence of representatives of both parties involved.

At the request of the competent authority of the exporting country, a new sampling of the consignment is carried out and new analyses are performed in a laboratory selected by consensus or, failing that, by the competent authority of the importing country.

The results of this analysis are used to assess conformity. The dispute is settled.]

<Note: rest of original paper is deleted.>

PROPOSED DRAFT GUIDELINE ON ANALYTICAL TERMINOLOGY
(At Step 3 of the Procedure)

INTRODUCTION

The Codex Committee on Methods of Analysis and Sampling has agreed on Analytical Terminology for Codex use. A number of these terms were previously included in the Codex Procedural Manual. These terms, together with the terms which are included in specific International Protocols/Guidelines already adopted by Codex by reference are given below.

These Guidelines are published as a Codex Guideline (GL xx-20xx).

SPECIFIC ANALYTICAL TERMS

The following analytical terms are used in the Procedural Manual and are defined below:

Accuracy

Applicability (and practicability)

Bias

Certified reference material

Empirical method of analysis

Error

HorRat

Interlaboratory study

Laboratory performance (Proficiency) study

Limit of detection

Limit of quantification

Linearity

Material-certification study

Measurement uncertainty

Method-performance study

Precision

Quality assurance

Rational method of analysis

Recovery/recovery factors

Reference material

Relative uncertainty

Repeatability

Reproducibility
 Repeatability conditions
 Repeatability (Reproducibility) limit
 Repeatability (Reproducibility) standard deviation
 Repeatability (Reproducibility) relative standard deviation
 Reproducibility conditions
 Result
 Robustness (ruggedness)
 Selectivity
 Sensitivity
 Surrogate
 Traceability
 True value
 Trueness
 Validated range

The following terms are no longer to be used and so are not defined:

limit of determination
 specificity

DEFINITIONS OF SPECIFIC ANALYTICAL TERMS

Accuracy: The closeness of agreement between a test result or measurement result and the true value.

Notes:

In practice the accepted reference value is substituted for the true value.

The term “accuracy”, when applied to a set of test results or measurement results, involves a combination of random components and a common systematic error or bias component.

Accuracy refers to combination of trueness and precision.

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

Applicability: The analytes, matrices, and concentrations for which a method of analysis may be used satisfactorily to determine compliance with a Codex standard.

Note:

In addition to a statement of the range of capability of satisfactory performance for each factor, the statement of applicability (scope) may also include warnings as to known interference by other analytes, or inapplicability to certain matrices and situations.

Reference:

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Bias: The difference between the expectation of the test result or measurement result and the true value.

Notes:

Bias is the total systematic error as contrasted to random error. There may be one or more systematic error components contributing to bias. A larger systematic difference from the accepted reference value is reflected by a larger bias value.

The bias of a measuring instrument is normally estimated by averaging the error of indication over the appropriate number of repeated measurements. The error indication is the: “indication of a measuring instrument minus a true value of the corresponding input quantity”.

In practice the accepted reference value is substituted for the true value.

Expectation is the general mean of observed values {ISO 5725-1}

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

Certified reference material (CRM): Reference material, accompanied by an authenticated certificate, having for each specified quantity a value, measurement uncertainty and stated metrological traceability chain. {VIM}

Notes:

A certificate should refer to a protocol describing the certification process.

Certified reference materials are generally prepared in batches. For a given batch, quantity values and measurement uncertainties are obtained by measurements on samples representative of the batch.

The quantity values assigned to a CRM are sometimes conveniently and reliably obtained when the material is incorporated into a specially fabricated device. The quantity value is sometimes the output of the device. Such devices may also be considered CRMs.

Some certified reference materials have quantity values that are not metrologically traceable to an International system of units.

Reference:

VIM, International vocabulary for basic and general terms in metrology, Draft Standards 3rd Edition, 2004, ISO, Geneva

Empirical method of analysis: A method in which the quantity estimated is simply the result found on following the stated procedure.

Note:

This differs from measurements intended to assess method-independent quantities such as the concentration of a particular analyte in a sample, in that the method bias is conventionally zero and matrix variation (i.e. within the defined class) is irrelevant

Reference:

Harmonised guidelines for single-laboratory validation of methods of analysis, 2002.

Error: Difference of quantity value obtained by measurement and true value of the measurand. {VIM}

Note:

It is often necessary to distinguish “error of measurement” from relative error of measurement.

Reference:

VIM, International vocabulary for basic and general terms in metrology, Draft Standards 3rd Edition, 2004, ISO, Geneva

HorRat: The relative interlaboratory standard deviation normalized with respect to concentration that is indicative of method performance for a large majority of methods in chemistry. It is the ratio of the interlaboratory relative standard deviation found to that calculated from the Horwitz equation,

$$\text{PRSD}_R = 2C^{-0.15};$$

$$\text{HorRat}(R) = \text{RSD}_R / \text{PRSD}_R,$$

$$\text{HorRat}(r) = \text{RSD}_r / \text{PRSD}_R,$$

where C is concentration expressed as a mass fraction (both numerator and denominator expressed in the same units). Acceptable values lie between 0.5 and 2. (To check proper calculation of PRSD_R , a C of 10^{-6} should give a PRSD_R of 16%.)

If applied to within-laboratory studies, the acceptable range of $\text{HorRat}(r)$ is 0.3-1.3.

Reference:

A simple method for evaluating data from an interlaboratory study, JAOAC, 81(6):1257-1265, 1998

Interlaboratory Study: A study in which several laboratories measure a quantity in one or more “identical” portions of homogeneous, stable materials under documented conditions, the results of which are compiled into a single document.

Notes:

The larger the number of participating laboratories, the greater the confidence that can be placed in the resulting estimates of the statistical parameters. The IUPAC-1987 protocol (Pure & Appl. Chem., 66, 1903-1911(1994)) requires a minimum of eight laboratories for method-performance studies.

Reference:

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Laboratory-Performance (Proficiency) Study: An interlaboratory study that consists of one or more measurements by a group of laboratories on one or more homogeneous, stable, test samples by the method selected or used by each laboratory. The reported results are compared with those from other laboratories or with the known or assigned reference value, usually with the objective of improving laboratory performance.

Notes:

Laboratory-performance studies can be used to support laboratory accreditation or audit performance. If a study is conducted by an organization with some type of management control over the participating laboratories—organizational, accreditation, regulatory, or contractual—the method may be specified or the selection may be limited to a list of approved or equivalent methods. In such situations, a single test sample is insufficient to judge performance. A laboratory-performance study may be used to select a method of analysis that will be used in a method-performance study. If all laboratories, or a sufficiently large subgroup, of laboratories, use the same method, the study may also be interpreted as a method-performance study, provided that the test samples cover the range of concentration of the analyte.

Laboratories of a single organization with independent facilities, instruments, and calibration materials, are treated as different laboratories.

Reference:

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Limit of Detection: The amount of an analyte corresponding to the lowest measurement signal which with a defined confidence may be interpreted as indicating that the analyte is present in the test sample, but without allowing quantitation.

The detection limit is conventionally defined as field blank + 3σ , where σ is the standard deviation of the field blank value signal (IUPAC definition).

However, an alternative definition which overcomes most of the objections to the above approach (i.e. the high variability at the limit of measurement can never be overcome) is to base it on the rounded value of the reproducibility relative standard deviation when it goes out of control (where $3\sigma_R = 100\%$; $\sigma_R = 33\%$, rounded to 50% because of the high variability). Such a value is directly related to the analyte and to the measurement system and is not based on the local measurement system.

Notes:

1. $LOD = 3\sigma_a/b$ where LOD is the limit of detection, σ_a is the standard deviation of x blank results and b is the slope of the calibration curve/regression line.
2. For quantitative tests using the polymerase chain reaction (PCR), the distribution of blank values is typically truncated and thus not normally distributed (non-Gaussian) around zero. Thus, the LOD needs to be experimentally determined unless the targeted concentrations are well above the LOD and the LOD, therefore, becomes irrelevant.

References:

Nordic Committee on Food Analysis, NMKL Procedure No. 4, 2005

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Polymerase chain reaction technology as an analytical tool in agricultural biotechnology, J.AOAC, 88(1):128-135, 2005

Limit of Quantification: The limit of quantification (LOQ) (also called limit of determination) of an analytical procedure is the lowest amount of analyte in a laboratory sample which can be quantitatively determined with a defined confidence.

As for detection limit except that 6 or 10 are required rather than 3.

However, an alternative definition that corresponds to that proposed for the detection limit is to use $\sigma_R = 25\%$. This value does not differ much from that assigned to the detection limit because the upper limit of the detection limit merges indistinguishably into the lower limit of the determination limit.

Notes:

1. $LOQ = 10\sigma_a/b$ where LOQ is the limit of quantification, σ_a is the standard deviation of x blank results ($x > 20$) and b is the slope of the calibration curve/regression line. Because $LOQ > LOD$, fewer laboratories are required to establish a value at the same level of confidence.
2. For quantitative tests using the polymerase chain reaction (PCR), the distribution of blank values is typically truncated and thus not normally distributed (non-Gaussian) around zero. Thus, the LOQ needs to be experimentally determined unless the targeted concentrations are well above the LOQ and the LOQ, therefore, becomes irrelevant.

References:

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Nordic Committee on Food Analysis, NMKL Procedure No. 4, 2005

Polymerase chain reaction technology as an analytical tool in agricultural biotechnology, J. AOAC, 88(1):128-135, 2005

Linearity: The ability of a method of analysis, within a certain range, to provide an instrumental response or results proportional to the quantity of analyte to be determined in the laboratory sample. This proportionality is expressed by an *a priori* defined mathematical expression. The linearity limits are the experimental limits of concentrations between which a linear calibration model can be applied with a known confidence level (generally taken to be equal to 1%).

Reference:

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Material-Certification Study: An interlaboratory study that assigns a reference value (“true value”) to a quantity (concentration or property) in the test material, usually with a stated uncertainty.

Note:

A material-certification study often utilises selected reference laboratories to analyse a candidate reference material by a method(s) judged most likely to provide the least-biased estimates of concentration (or of a characteristic property) and the smallest associated uncertainty.

Reference:

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Measurement uncertainty: Parameter that characterizes the dispersion of the quantity values that are being attributed to the measurand, based on the information used. {VIM}

Notes:

Measurement uncertainty quantitatively characterizes the knowledge about the measurand, based on the information used. {VIM}

Measurement uncertainty characterizes the dispersion of a set or distribution of quantity values for the measurand, obtained by available information. The dispersion is due to definitional uncertainty of the measurand and random and systematic effects in the measurement. {VIM}

The parameter may be, for example, a standard deviation called standard measurement uncertainty (or a given multiple of it), or the half-width of interval having a stated coverage probability. {VIM}

Measurement uncertainty comprises, in general many components. Some of these components may be evaluated by Type A evaluation of measurement uncertainty from the statistical distribution of the quantity values from a series of measurements and can be characterized by experimental standard deviations. The other components which may be evaluated by Type B evaluation of measurement uncertainty can also be characterized by standard deviations, evaluated from assumed probability distributions based on experience or other information. {VIM}

It is understood that the result of a measurement result is the best estimate of the value of the measurand, and that all the components of measurement uncertainty, including those arising from systematic effects, such as components associated with corrections and assigned values of measurement standards, contribute to the dispersion. {VIM}

Depending upon its intended use, an expanded measurement uncertainty of a measurement result may be given with a stated coverage factor, giving a coverage interval intended to contain the value of the measurand with high probability, or encompass a stated large fraction of the dispersed quantity values that are being attributed to the measurand. {VIM}

Reference:

1. VIM, International vocabulary for basic and general terms in metrology, Draft Standards 3rd Edition, 2004, ISO, Geneva

Method-Performance Study: An interlaboratory study in which all laboratories follow the same written protocol and use the same test method to measure a quantity in sets of identical test samples. The reported results are used to estimate the performance characteristics of the method. Usually these characteristics are within-laboratory and among-laboratories precision, and when necessary and possible, other pertinent characteristics such as systematic error, recovery, internal quality control parameters, sensitivity, limit of quantitation, and applicability.

Notes

The materials used in such a study of analytical quantities are usually representative of materials to be analyzed in actual practice with respect to matrices, amount of test component (concentration), and interfering components and effects. Usually the analyst is not aware of the actual composition of the test samples but is aware of the matrix.

The number of laboratories, number of test samples, number of determinations, and other details of the study are specified in the study protocol. Part of the study protocol is the procedure which provides the written directions for performing the analysis.

The main distinguishing feature of this type of study is the necessity to follow the same written protocol and test method exactly.

Several methods may be compared using the same test materials. If all laboratories use the same set of directions for each method and if the statistical analysis is conducted separately for each method, the study is a set of method-performance studies. Such a study may also be designated as a method-comparison study.

Reference:

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Precision: The closeness of agreement between independent test/measurement results obtained under stipulated conditions.

Notes:

Precision depends only on the distribution of random errors and does not relate to the true value or to the specified value.

The measure of precision is usually expressed in terms of imprecision and computed as a standard deviation of the test results. Less precision is reflected by a larger standard deviation.

Quantitative measures of precision depend critically on the stipulated conditions. Repeatability and reproducibility conditions are particular sets of extreme conditions.

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

Quality assurance: All those planned and systematic actions necessary to provide adequate confidence that a product or service will satisfy given requirements for quality.

Reference:

Harmonized guidelines for internal quality control in analytical chemistry laboratories, 1995

Rational method of analysis: A method that determines an identifiable chemical(s) or analytes(s) for which there may be several equivalent methods of analysis available.

Reference:

Harmonized guidelines for the use of recovery information in analytical measurement, 1998

Recovery: Proportion of the amount of analyte, present in, added to or present in and added to the analytical portion of the test material, which is extracted and presented for measurement.

Notes:

Recovery is assessed by the ratio $R = c_{obs} / C_{ref}$ of the observed concentration or amount c_{obs} obtained by the application of an analytical procedure to a material containing analyte at a reference level c_{ref} .

c_{ref} will be: (a) a reference material certified value, (b) measured by an alternative definitive method, (c) defined by a spike addition or (d) marginal recovery.

Reference:

Harmonized guidelines for the use of recovery information in analytical measurement, 1998

Use of the terms “recovery” and “apparent recovery” in analytical procedures, 2002

Reference material: Material, sufficiently homogenous and stable with respect to one or more specified quantities, used for calibration of a measuring system, or for assessment of a measurement procedure, or for assigning values and measurement uncertainties to quantities of the same kind for other materials. {VIM}

Notes:

The term reference material designates a family of materials without necessarily implying a hierarchy according to the magnitude of measurement uncertainty.

Reference material comprises both precision control material, which need not have an assigned quantity value and measurement standard functioning as trueness control material or calibrator.

The term reference material is also used for materials realizing nominal properties such as color.

Reference:

VIM, International vocabulary for basic and general terms in metrology, Draft Standards 3rd Edition, 2004, ISO, Geneva

Relative uncertainty: Uncertainty derived from a relative standard deviation.

Reference:

Harmonized guidelines for single-laboratory validation of methods of analysis, 2002

Repeatability [Reproducibility]: Precision under repeatability [reproducibility] conditions.

Reference:

ISO 3534-1 Statistics, vocabulary and symbols-Part 1: Probability and general statistical terms, ISO, 1993

ISO Standard 78-2: Chemistry – Layouts for Standards – Part 2: Methods of Chemical Analysis, 1999)

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

AOAC International methods committee guidelines for validation of qualitative and quantitative food microbiological official methods of analysis, 2002.

Repeatability conditions: Observation conditions where independent test/measurement results are obtained with the same method on identical test/measurement items in the same test or measuring facility by the same operator using the same equipment within short intervals of time.

Note:

Repeatability conditions include: the same measurement procedure or test procedure; the same operator; the same measuring or test equipment used under the same conditions; the same location and repetition over a short period of time.

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

Reproducibility conditions: Observation conditions where independent test/measurement results are obtained with the same method on identical test/measurement items in different test or measurement facilities with different operators using different equipment.

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

Repeatability [Reproducibility] limit: The value less than or equal to which the absolute difference between final values, each of them representing a series of test results or measurement results obtained under repeatability [reproducibility] conditions may be expected to be with a probability of 95%.

Notes:

The symbol used is $r [R]$. {ISO 3534-2}

When examining two single test results obtained under repeatability [reproducibility] conditions, the comparison should be made with the repeatability [reproducibility] limit, $r [R] = 2.8\sigma[R]$. {ISO 5725-6, 4.1.4}

When groups of measurements are used as the basis for the calculation of the repeatability [reproducibility] limits (now called the critical difference), more complicated formulae are required that are given in ISO 5725-6: 1994, 4.2.1 and 4.2.2.

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

ISO 5725-6 “Accuracy (trueness and precision) of a measurement methods and results—Part 6: Use in practice of accuracy value”, ISO, 1994

Codex Alimentarius Commission, Procedural Manual, 15th edition, 2006

Repeatability [reproducibility] standard deviation: Standard deviation of test results or measurement results obtained under repeatability [reproducibility] conditions.

Notes:

It is a measure of the dispersion of the distribution of the test or measurement results under repeatability [reproducibility] conditions.

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

Repeatability [reproducibility] relative standard deviation: $RSD_{r[R]}$ is computed by dividing the repeatability [reproducibility] standard deviation by the mean.

Note:

Relative standard deviation (RSD) is a useful measure of precision in quantitative studies.

This is done so that one can compare variability of sets with different means. RSD values are independent of the amount of analyte over a reasonable range and facilitate comparison of variabilities at different concentrations.

The result of a collaborative test may be summarized by giving the RSD for repeatability (RSDr) and RSD for reproducibility (RSDR).

AOAC International methods committee guidelines for validation of qualitative and quantitative food microbiological official methods of analysis, 2002.

Result: The final value reported for a measured or computed quantity, after performing a measuring procedure including all sub-procedures and evaluations. {IUPAC, 1994}

Notes:

The information consists of a set of quantity values reasonably being attributed to the measurand, usually summarized as a single quantity and a measurement uncertainty. The single quantity value is an estimate, often an average or the median of the set. {VIM}

If the measurand is considered to be sufficiently well described by a single quantity value (see GUM, 1993, 1,2), it is common practice to have the term 'measurement result' comprise the estimated value only. The measurement uncertainty associated with this 'measurement result' is then stated separately. {VIM}

If the measurement uncertainty is considered to be negligible for some purpose, the information may be reduced to a single quantity value. {VIM}

Reference:

IUPAC, Nomenclature for the presentation of results of chemical analysis, 1994.

VIM, International vocabulary for basic and general terms in metrology, Draft Standards 3rd Edition, 2004, ISO, Geneva

Robustness (ruggedness): A measure of the capacity of an analytical procedure to remain unaffected by small but deliberate variations in method parameters and provides an indication of its reliability during normal usage

Reference:

ICH Topic Q2 Validation of Analytical Methods, the European Agency for the Evaluation of Medicinal Products: ICH Topic Q 2 A - Definitions and Terminology (CPMP/ICH/381/95), 1995

Selectivity: Capability of a measuring system, using a specified measurement procedure to provide measurement results for two or more quantities of the same kind involving different components in a system undergoing measurement, without interference from each other or from the quantities of the system. {VIM}

Reference:

VIM, International vocabulary for basic and general terms in metrology, Draft Standards 3rd Edition, 2004, ISO, Geneva

Sensitivity: Quotient of the change in the indication of a measuring system and the corresponding change in the value of the quantity being measured. {VIM}

Notes:

The sensitivity can depend on the value of the quantity being measured.

The change considered in the value of the quantity being measured must be large compared with the resolution of the measurement system.

Reference:

VIM, International vocabulary for basic and general terms in metrology, Draft Standards 3rd Edition, 2004, ISO, Geneva

Surrogate: Pure compound or element added to the test material, the chemical and physical behavior of which is taken to be representative of the native analyte.

Reference:

Harmonized guidelines for the use of recovery information in analytical measurement, 1998

Traceability: Property of a measurement result relating the result to a stated reference or the value of a standard whereby it can be related to stated references through an unbroken chain of comparisons, each contributing to the stated measurement uncertainty.

Notes:

A stated reference can be a definition of a measurement unit, through its practical realization, or a measurement procedure, or a national or international measurement standard.

A prerequisite to traceability is a previously established calibration hierarchy.

For measurements with more than one input quantity to the measurement function, each of the input quantities should itself be traceable.

Reference:

VIM, International vocabulary for basic and general terms in metrology, Draft Standards 3rd Edition, 2004, ISO, Geneva

Harmonized guidelines for internal quality control in analytical chemistry laboratories, 1995

Trueness: The closeness of agreement between the expectation of a test result or a measurement result and a true value

Notes:

The measure of trueness is usually expressed in terms of bias.

Trueness has been referred to as “accuracy of the mean”. This usage is not recommended.

In practice the accepted reference value is substituted for the true value.

Expectation is the expected value of a random variable, e.g. assigned value or long term average {ISO 5725-1}

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

ISO Standard 5725-1: Accuracy (trueness and precision) of measurement methods and results, Part 1: General principles and definitions, ISO, Geneva, 1994.

True value: The value which characterizes a quantity or quantitative characteristic perfectly defined in the conditions which exist when the quantity or quantitative characteristic is considered.

Note:

The true value of a quantity or quantitative characteristic is a theoretical concept and, in general, cannot be known exactly

Reference:

ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006

Validated range: That part of the concentration range of an analytical method which has been subjected to validation.

Reference

Harmonized guidelines for single-laboratory validation of methods of analysis, 2002

REFERENCES

1. Terms and definitions used in connections with reference materials, ISO Guide 30:1992
2. GUM, Guide to the expression of uncertainty in measurement, ISO, Geneva, 1993.
3. The international harmonised protocol for the proficiency testing of (chemical) analytical laboratories, *Pure Appl. Chem.*, 65, 2123-2144, 1993.-
4. International vocabulary for basic and general terms in metrology, ISO, Geneva, 2nd Edition, 1993.
5. Statistics, vocabulary and symbols - Part 1: Probability and general statistical terms, ISO 3534 -1: 1993.
6. VIM, International vocabulary for basic and general terms in metrology, 2nd Edition, ISO, Geneva, 1993.
7. ISO Standard 5725-1: Accuracy (trueness and precision) of measurement methods and results, Part 1: General principles and definitions, ISO, Geneva, 1994.
8. IUPAC, Nomenclature for the presentation of results of chemical analysis, *Pure and Applied Chemistry*, 66(3):595-608, 1994.
9. Quality management and quality assurance-vocabulary ISO 8402, second edition, 1994.
10. The harmonised guidelines for internal quality control in analytical chemistry laboratories, *Pure Appl. Chem.*, 67:649–666, 1995.
11. ICH Topic Q2 Validation of Analytical Methods, The European Agency for the Evaluation of Medicinal Products: ICH Topic Q 2 A - Definitions and Terminology (CPMP/ICH/38 1/95), 1995
12. Protocol for the design, conduct and interpretation of method-performance studies, *Pure Appl. Chem.* 67(2):331-343, 1995.
13. Harmonized guidelines for the use of recovery information in analytical measurement, IUPAC/ISO/AOAC International/Eurachem technical report, 1998.
14. A simple method for evaluating data from an interlaboratory study, *J AOAC*, 81(6): 1257-1265, 1998.
15. ISO Standard 78-2: Chemistry – layouts for standards – Part 2: Methods of chemical analysis, ISO, second edition, 1999.
16. Selectivity in Analytical Chemistry, *Pure Appl. Chem.*, 73(8):1381-1386, 2001.
17. AOAC International Methods committee guidelines for validation of qualitative and quantitative food microbiological methods of analysis, *J AOAC*, 85(5): 1187-1200, 2002
18. Harmonised guidelines for single-laboratory validation of methods of analysis, *Pure Appl. Chem.*, 74(5):835-855, 2002.
19. Use of the terms “recovery “ and “apparent recovery” in analytical procedures, *Pure Appl. Chem.*, 74(11): 2201-2205, 2002
20. Codex Alimentarius Commission, Procedural Manual, 13th edition, Food and Agriculture Organization of the United Nations, World Health Organization, 2003.
21. Codex Alimentarius Commission, Food and Agriculture Organization of the United Nations, World Health Organization, Alinorm 04/27/23, Report of the twenty-fifth session of the Codex committee on methods analysis and sampling, 2004
22. VIM, International vocabulary for basic and general terms in metrology, Draft Standards, 3rd Edition, ISO, Geneva, 2004
23. Validation of chemical analytical methods, NMKL Procedure No. 4, Nordic Committee on Food Analysis, p 20, 2005
24. Polymerase chain reaction technology as an analytical tool in agricultural biotechnology, *J AOAC*, 88(1):128-135, 2005.
25. ISO Standard 3534-1: Vocabulary and Symbols Part 1: Applied Statistics, ISO, Geneva, 2006.
26. ISO Standard 3534-2: Vocabulary and Symbols Part 2: Applied Statistics, ISO, Geneva, 2006.